

KL-4999-320 /-320/AT

Assembly Trolley "Springs and Shock Absorbers"



GEDORE Automotive GmbH

Breslauer Straße 41
78166 - Donaueschingen
Postfach 1329
78154 Donaueschingen - GERMANY
☎ +49 (0) 771 / 8 32 23-0
☎ +49 (0) 771 / 8 32 23-90
✉ info.gam@gedore.com



www.gedore-automotive.com



06/2025

KL-4999-320_AT__EN250615.indd

PRODUCT DESCRIPTION

KL-4999-320 /-320/AT - Assembly trolley "MODULO 320"

Content / range of application:

Mobile workstation with extensive special tool assortment for fast, efficient maintenance work, especially in the area of spring and shock absorber replacement.

Scope of delivery:

- Robust workshop/assembly trolley with oiled multiplex laminated wood worktop, four full-extension drawers with ball bearings, corrosion-resistant and scratch-resistant powder-coated
- Impact- and oil-resistant rigid plastic surface-mount worktop with storage compartments
- Stationary spring compressor including precisely fitting dust protection cover for safe tensioning of chassis springs on McPherson spring struts
- Internal-type spring compressor with hold-down device for safe tensioning of chassis springs on wishbones and multi-link axles
- Removal and installation aid for pre-tensioning McPherson spring struts with spring strut clamping hole, for a faster removal and installation
- Special sockets for unscrewing and tightening of shock absorber piston rod screw connections on McPherson spring struts
- Special socket spanner for counter-holding defective strut bearing nuts on VAG vehicles
- Spreading tool for damage-free spreading of spring strut clamping holes as well as support joint mounting devices
- Support device for safely supporting wheel suspensions during maintenance work on the chassis
- "Freebie" bottle opener in GEDORE design for professional opening of thirst quenchers
- Including many other accessory parts and supplements


Assembly trolley specifications

- Dimensions H 985 x W 1200 x D 635mm
- Beech multiplex worktop, 30mm thick, oiled
- Total load carrying capacity: 1000 kg / mobile operation: 750kg
- 2x fixed castors Ø 200mm and 2x swivel castors Ø 125mm with total brake
- Sheet steel, corrosion-resistant, scratch-resistant powder-coated in GEDORE blue (KL-4999-320) or in anthracite/RAL 7016 (KL-4999-320/AT)
- Extra wide drawers W 998 x D 474mm with full extension, loadable up to 70kg
- Automatic drawer retraction with single pull-out stop and central locking system
- Side walls with Euro perforation 10 x 38mm for attaching hooks and tools


Workshop assembly trolley



Drawer insert A



Drawer insert B




⚠ SAFETY INSTRUCTIONS AND REGULATIONS

- ✔ Read and understand this product information **before using** the special tool. This serves to familiarise you with the special tool for **safe use**!
- ✔ Use the special tool **as intended** and **always** carry out maintenance and repair work in compliance with the regulations on occupational safety and accident prevention as well as the vehicle manufacturer's instructions!
- ✔ Before **each** use, check the special tool **carefully** for damage, loose parts, or unauthorised modifications. **Never** use it, if you notice any such deficiencies!
- ✔ **Before each use**, check moving parts and threads of the special tool for dirt. If necessary, clean and lubricate them **only** with molybdenum disulphide paste, such as **KL-0014-0030**!
- ✔ **Always** wear your personal protective equipment, e.g. safety goggles, protective gloves, safety shoes, during work if necessary!
- ✔ Interrupt your work **immediately** if you are unsure about using the special tool, and contact **GEDORE Automotive GmbH** if necessary!
- ✔ Dispose of the special tool and its packaging material in an environmentally compatible way in accordance with the legal requirements. If necessary, ask your local authorities or **GEDORE Automotive GmbH** about environmentally friendly disposal options!

KL-4999-3201 (drawer insert A)

4 Depending on the application, follow the corresponding instructions for the special tool!




Scope of delivery:

Item	Part no.	Description	Qty.
-	KL-0033-16	Pair of pressure plates size 0A	1
1	KL-0033-1601	Pressure plate with catch, size 0A	1
2	KL-0033-1602	Pressure plate with corrugated profile, size 0A	1
-	KL-0033-10	Internal-type spring compressor, compact with size 2A	1
3	KL-0033-1101	Pressure plate with catch and protective insert, size 2A	1
4	KL-0033-1102	Pressure plate with corrugated profile and protective insert, size 2A	1
5	IN 19 LK 8-140	Screwdriver bit 1/2", 140mm, female hexagonal 8mm	1
6	KL-0033-100 A	Clamping cylinder, Ø 33mm	1
-	KL-5501-31	Collar mounting kit, Ø 60mm / Ø 90mm	1
7	KL-5501-312	Adapter, collar mounting, Ø 60mm	1
8	KL-5501-311	Collar mounting, Ø 90mm	1
9	KL-5501-40	Hand crank for KL-5501 / KL-5501 B, AF 24	1
10	KL-5501-1435 A	Mounting adapter for shock absorber with fork mount	1
11	GMH990007	Bottle opener 2K GEDORE	1
12	KL-0050-61	Special socket spanner dome bearing VW, AF 14	1
13	KL-0050-60	Special socket spanner dome bearing VW, AF 13	1
14	KL-5501-15	Open-ended spanner with protective grip	1
-	KL-0056-11..B	Shock absorber piston rod set	1
15	7 R 19	Open-ended spanner with ring ratchet, UD profile 19mm	1
16	KL-0056-1132	Holder for socket spanners, 1/4"	1
17	KL-0056-1131	Holder for screwdriver bit, 5/16"	1
18	KL-0056-1151	Socket, 2-edge, 6mm	1
19	KL-0056-1152	Socket, 2-edge, 7mm	1
20	KL-0056-1153	Socket, 2-edge, 8mm	1
21	KL-0056-1154	Socket, 2-edge, 9mm	1

Item	Part no.	Description	Qty.
22	KL-0056-1155	Socket, 2-edge, 10mm	1
23	KL-0056-1156	Socket, 2-edge, 12mm	1
24	KL-0050-51 A	Shock absorber lock nut spanner, Mercedes W203	1
25	KL-0056-1141	Screwdriver bit 5/16" female hexagon, AF 5	1
26	KL-0056-1142	Screwdriver bit 5/16" female hexagon, AF 6	1
27	KL-0056-1143	Screwdriver bit 5/16" female hexagon, AF 7	1
28	KL-0056-1146	Screwdriver bit 5/16", T40	1
29	KL-0056-1144	Screwdriver bit 5/16", T50	1
30	KL-0056-1145	Screwdriver bit 5/16", XZN, M12	1
31	KL-0056-1116	Open side socket, AF 16mm	1
32	KL-0056-1117	Open side socket, AF 17mm	1
33	KL-0056-1118	Open side socket, AF 18mm	1
34	KL-0056-1119	Open side socket, AF 19mm	1
35	KL-0056-1121	Open side socket, AF 21mm	1
36	KL-0056-1122	Open side socket, AF 22mm	1
37	7 XL 10	Combination spanner extra long, UD profile, 10mm	1
-	KL-0033-300	Hold-down device kit	1
38	KL-0033-3003 A	Support, Ø 40mm	1
	KL-0033-3004	Adjusting nut, short	1
39	KL-0033-3002	Support, Ø 50mm	1
40	KL-0033-3001	Support fork	1
41	KL-0033-3005	Adjusting nut, long	1
-	KL-0014-0030	Molybdenum disulphide paste	1
KL-4999-3201-1 - Foam insert for drawer			

KL-4999-3202 (drawer insert B)


A Depending on the application, follow the corresponding instructions for the special tool!



Scope of delivery:

Item	Part no.	Description	Qty.
1	7 R 13	Open-ended spanner with ring ratchet, UD profile 13mm	1
-	KL-0104-21.. B	Spreading tool kit	1
2	KL-0104-2100 A	Basic tool	1
	KL-0104-2121 A	Pressure screw with wedge No. 1	1
3	KL-0104-2122 A	Pressure screw with wedge No. 2	1
4	KL-0104-2124	Pressure screw with wedge No. 4	1
5	KL-0104-2125	Pressure screw with wedge No. 5	1
6	KL-0104-2141	Bolt with thread M10	1
7	KL-0145-120 A	Wheel hub support	1
-	KL-0029-170	Supplementary kit, VW T5, size 7	1
8	KL-0029-1702	Support ring size 7	1
9	KL-0029-171	Support plate size 7 with bolt	1
-	KL-0029-150 A	Supplementary kit Ford, size 5 + 8	1
10	KL-0029-1522	Support plate size 8 with support	1
11	KL-0029-1521	Adapter ring with O-ring	1
12	KL-0029-151	Support plate size 5 with bolt	1
13	KL-0029-1501	Support ring size 5	1
14	KL-0029-200	Spring compressor for pre-tensioning, removal and installation aid (base unit)	1
15	KL-1283-1015	Cylinder screw M8 x 25mm	2

Item	Part no.	Description	Qty.
16	KL-0029-111	Support plate with bolt VW Audi, size 1	1
-	KL-0029-120 A	Supplementary kit VW-Audi, size 2	1
17	KL-0029-121	Support plate size 2 with bolt	1
18	KL-0029-1209 A	Support ring size 2 open	1
-	KL-0029-130 A	Supplementary kit VW-Audi, size 3	1
19	KL-0029-1301	Support plate size 3	1
20	KL-0029-1309	Support ring pair size 3	1
21	KL-0029-1303	Shock absorber hold-down device	1
22	KL-0029-122	Supplement KYB for KL-0029-120 A, VW-Audi	1
-	KL-0029-1221	Support sheet for support plate size 2	1
-	KL-0029-1222	Bolt with pin 20mm	1
23	KL-1615-1128	Cylinder screw M8 x 16mm	1
-	KL-0029-160 A	Supplementary kit, BMW, size 6	1
24	KL-0029-1602 A	Support ring size 6	1
25	KL-0029-1601	Support plate size 6	1
	KL-0029-1103	Bolt 19.5mm long	1
26	7 R 27	Open-ended spanner with ring ratchet, UD profile 27mm	1
KL-4999-3202-1 - Foam insert for drawer			




Item	Part no.	Description	Qty.
27	KL-4999-1280	Surface-mount worktop for KL-4999-120 A / -121 A (1507 XL)	1
28	KL-5501-41	Protective cover for spring compressor	1
29	KL-5501 B	Stationary spring compressor	1
30	KL-5501-211	MODULO and wall bracket, short	1

INSTRUCTION OVERVIEW

This overview shows all corresponding instructions for the workshop/assembly trolley. Depending on the application, the corresponding instructions **must be** consulted!

KL-0029-2.. (E/K) // KL-0029-1.. Removal and Mounting Aid for McPherson Suspension Struts

Allows a simple reduction of the overall suspension strut length by clamping together.



KL-0033-10 E Compact Internal-Type Spring Compressor

For quick and safe removal and installation of chassis springs on wishbone and multi-link axles.



KL-0033-16 Pair of Pressure Plates, Size OA

In combination with accessories for quick and safe removal and installation of chassis springs on wishbone and multi-link axles.




KL-0033-300 E Hold-Down Device Set

For removal and installation of chassis springs on wishbone and multi-link axles during removal and installation with the internal-type spring compressor - KL-0033-10 E.



KL-0050-60/ -61 Special Sockets, Strut Mount, VW

For professional counter-holding of the retaining nuts on the dome bearing.



KL-0056-11 EB Shock Absorber Piston Rod Tool Kit

For loosening and tightening the piston rod nut and counter-holding the shock absorber piston rod.



KL-0104-21 EB / -21 KB / -1 B / -2 B
Spreading Tool Kit

For widening the spring strut clamping hole and the lower suspension joint mounting on the front axle.

GEDORE
KLANN EXPERIENCE

KL-0104-21 EB / -21 KB / -1 B / -2 B
Spreizwerkzeug-Satz in Schaumstoffeinlage
Spreading Tool Kit in Foam Insert

Produktinformation (Original)
CS
! Vor Verwendung lesen und verstehen
Product information
EN
! Read and understand before use



www.gedore-automotive.com

GEDORE Automotive GmbH
Reinholdstraße 41
51031 Köln, Deutschland
Postfach 1328
Tel: +49 (0) 221 4 82 23-0
Fax: +49 (0) 221 4 82 23-99
info@gedore.com
www.gedore.com

GEDORE TOOLS, INC.
Only for USA, Canada, Mexico, Caribbean, Central & South America
Postfach 1328
Tel: +1 847 225 50 10
Fax: +1 847 225 50 11
info@gedore.com
www.gedore.com

Version 2 - 01/2022


0145-120 A
Support Device

In combination with a gearbox lifting jack, for professional support and fixation of the wheel suspension.

GEDORE
KLANN EXPERIENCE

KL-0145-120 A
Abstützvorrichtung
Support Device

Geräteanleitung (Original)
CS
! Vor Verwendung lesen und verstehen
Operating instructions
EN
! Read and understand before use



www.gedore-automotive.com

GEDORE Automotive GmbH
Reinholdstraße 41
51031 Köln, Deutschland
Postfach 1328
Tel: +49 (0) 221 4 82 23-0
Fax: +49 (0) 221 4 82 23-99
info@gedore.com
www.gedore.com

GEDORE TOOLS, INC.
Only for USA, Canada, Mexico, Caribbean, Central & South America
Postfach 1328
Tel: +1 847 225 50 10
Fax: +1 847 225 50 11
info@gedore.com
www.gedore.com

Version 12/2022


KL-4999-1280
Surface-Mount Worktop

For easy mounting on the already existing wooden worktop.

GEDORE
KLANN EXPERIENCE

KL-4999-1280
Aufsatz-Arbeitsplatte
Surface-Mount Worktop

Produktinformation (Original)
CS
! Vor Verwendung lesen und verstehen
Product information
EN
! Read and understand before use



www.gedore-automotive.com

GEDORE Automotive GmbH
Reinholdstraße 41
51031 Köln, Deutschland
Postfach 1328
Tel: +49 (0) 221 4 82 23-0
Fax: +49 (0) 221 4 82 23-99
info@gedore.com
www.gedore.com

GEDORE TOOLS, INC.
Only for USA, Canada, Mexico, Caribbean, Central & South America
Postfach 1328
Tel: +1 847 225 50 10
Fax: +1 847 225 50 11
info@gedore.com
www.gedore.com

Version 10/2022


KL-5501 B
Stationary Spring Compressor

For tensioning any McPherson spring strut available on the market.

GEDORE
KLANN EXPERIENCE

KL-5501 B
Stationary Spring Compressor

Operating instructions
EN



www.gedore-automotive.com

GEDORE Automotive GmbH
Reinholdstraße 41
51031 Köln, Deutschland
Postfach 1328
Tel: +49 (0) 221 4 82 23-0
Fax: +49 (0) 221 4 82 23-99
info@gedore.com
www.gedore.com

KL-5501 B

KL-5501-41
Protective Cover for Stationary Spring Compressor

For easy covering of the spring compressor for optimum protection against external soiling.

GEDORE
KLANN EXPERIENCE

KL-5501-41
Schutzabdeckung für stationären Federspanner
Protective Cover for Stationary Spring Compressor

Produktanleitung
CS
Product instructions
EN



www.gedore-automotive.com

GEDORE Automotive GmbH
Reinholdstraße 41
51031 Köln, Deutschland
Postfach 1328
Tel: +49 (0) 221 4 82 23-0
Fax: +49 (0) 221 4 82 23-99
info@gedore.com
www.gedore.com

KL-5501-41


KL-5501-210 / -211 / -212 / -213
MODULO-Bracket / Wall Bracket

Enables stable wall mounting of the stationary spring compressor - KL-5501 B.

GEDORE
KLANN EXPERIENCE

KL-5501-210 / -211 / -212 / -213
MODULO-Halterung / Wandhalterung
MODULO-Bracket / Wall Bracket

Produktanleitung
CS
Product instructions
EN



www.gedore-automotive.com

GEDORE Automotive GmbH
Reinholdstraße 41
51031 Köln, Deutschland
Postfach 1328
Tel: +49 (0) 221 4 82 23-0
Fax: +49 (0) 221 4 82 23-99
info@gedore.com
www.gedore.com

KL-5501-210

INSTRUCTION OVERVIEW

KL-4999-120 A /-120 A/AT /-121 A
Workshop/assembly trolley
MODULO

Information and technical data on the workshop/assembly trolley.



SINGLE COMPONENT OVERVIEW

This overview shows the corresponding **insert** and **position** of the components in the drawers of the workshop/assembly trolley.

Part no.	Designation	Insert / position
7 R 13	Open-ended spanner with ring ratchet, UD profile 13mm	B / 1
7 R 19	Open-ended spanner with ring ratchet, UD profile 19mm	A / 15
7 R 27	Open-ended spanner with ring ratchet, UD profile 27mm	B / 26
7 XL 10	Combination spanner extra long, UD profile, 10mm	A / 37
GMH990007	Bottle opener 2K GEDORE	A / 11
IN 19 LK 8-140	Screwdriver bit 1/2", 140mm, female hexagonal 8mm	A / 5
KL-0029-1103	Bolt 19.5 mm long	B / 25
KL-0029-111	Support plate with bolt VW Audi, size 1	B / 16
KL-0029-1209 A	Support ring size 2 open	B / 18
KL-0029-121	Support plate size 2 with bolt	B / 17
KL-0029-122	Supplement KYB for KL-0029-120 A, VW Audi	B / 22
KL-0029-1301	Support plate size 3	B / 19
KL-0029-1303	Shock absorber hold-down device	B / 21
KL-0029-1309	Support ring pair size 3	B / 20
KL-0029-1501	Support ring size 5	B / 13
KL-0029-151	Support plate size 5 with bolt	B / 12
KL-0029-1521	Adapter ring with O-ring	B / 11
KL-0029-1522	Support plate size 8 with support	B / 10
KL-0029-1601	Support plate size 6	B / 25
KL-0029-1602 A	Support ring size 6	B / 24
KL-0029-1702	Support ring size 7	B / 8
KL-0029-171	Support plate size 7 with bolt	B / 9
KL-0029-200	Spring compressor for pre-tensioning, removal and installation aid (base unit)	B / 14
KL-0033-100 A	Clamping cylinder, Ø 33mm	A / 6
KL-0033-1101	Pressure plate with catch and protective insert, size 2A	A / 3
KL-0033-1102	Pressure plate with corrugated profile and protective insert, size 2A	A / 4
KL-0033-1601	Pressure plate with catch, size 0A	A / 1
KL-0033-1602	Pressure plate with corrugated profile, size 0A	A / 2
KL-0033-3001	Support fork	A / 40
KL-0033-3002	Support, Ø 50mm	A / 39
KL-0033-3003 A	Support, Ø 40mm	A / 38
KL-0033-3004	Adjusting nut, short	A / 38
KL-0033-3005	Adjusting nut, long	A / 41
KL-0050-51 A	Shock absorber lock nut spanner, Mercedes W203	A / 24
KL-0050-60	Special socket spanner dome bearing VW, AF 13	A / 13
KL-0050-61	Special socket spanner dome bearing VW, AF 14	A / 12

Part no.	Designation	Insert / position
KL-0056-1116	Open side socket, AF 16mm	A / 31
KL-0056-1117	Open side socket, AF 17mm	A / 32
KL-0056-1118	Open side socket, AF 18mm	A / 33
KL-0056-1119	Open side socket, AF 19mm	A / 34
KL-0056-1121	Open side socket, AF 21mm	A / 35
KL-0056-1122	Open side socket, AF 22mm	A / 36
KL-0056-1131	Holder for screwdriver bit, 5/16"	A / 17
KL-0056-1132	Holder for socket spanners, 1/4"	A / 16
KL-0056-1141	Screwdriver bit 5/16" female hexagon, AF 5	A / 25
KL-0056-1142	Screwdriver bit 5/16" female hexagon, AF 6	A / 26
KL-0056-1143	Screwdriver bit 5/16" female hexagon, AF 7	A / 27
KL-0056-1144	Screwdriver bit 5/16", T50	A / 29
KL-0056-1145	Screwdriver bit 5/16", XZN, M12	A / 30
KL-0056-1146	Screwdriver bit 5/16", T40	A / 28
KL-0056-1151	Socket, 2-edge, 6mm	A / 18
KL-0056-1152	Socket, 2-edge, 7mm	A / 19
KL-0056-1153	Socket, 2-edge, 8mm	A / 20
KL-0056-1154	Socket, 2-edge, 9mm	A / 21
KL-0056-1155	Socket, 2-edge, 10mm	A / 22
KL-0056-1156	Socket, 2-edge, 12mm	A / 23
KL-0104-2100 A	Basic tool	B / 2
KL-0104-2121 A	Pressure screw with wedge No. 1	B / 2
KL-0104-2122 A	Pressure screw with wedge No. 2	B / 3
KL-0104-2124	Pressure screw with wedge No. 4	B / 4
KL-0104-2125	Pressure screw with wedge No. 5	B / 5
KL-0104-2141	Bolt with thread M10	B / 6
KL-0145-120 A	Wheel hub support	B / 7
KL-1183-1015	Cylinder screw M8 x 25mm	B / 15
KL-1615-1128	Cylinder screw M8 x 16mm	B / 23
KL-4999-1280	Surface-mount worktop for KL-4999-120 A / -121 A (1507 XL)	B 27
KL-5501 B	Stationary spring compressor	B / 29
KL-5501-1435 A	Mounting adapter for shock absorber with fork mount	A / 10
KL-5501-15	Open-ended spanner with protective grip	A / 14
KL-5501-211	MODULO and wall bracket, short	B / 30
KL-5501-311	Collar mounting, Ø 90mm	A / 8
KL-5501-312	Adapter, collar mounting, Ø 60mm	A / 7
KL-5501-40	Hand crank for KL-5501 / KL-5501 B, AF 24	A / 9
KL-5501-41	Protective cover for spring compressor	B / 28
KL-5501 B	Stationary spring compressor	B / 29

GEDORE Automotive GmbH

Breslauer Str. 41
78166 Donaueschingen / GERMANY
Tel: +49 771 83 223 0
Fax: +49 771 83 223 90
www.gedore-automotive.com

GEDORE Headquarter:

GEDORE Werkzeugfabrik GmbH & Co. KG

Remscheider Str. 149
42899 Remscheid / GERMANY
Tel: +49 2191 596 900
Fax: +49 2191 596 999
www.gedore.com

GEDORE International:

GEDORE Torque Solutions GmbH

Bertha-Benz-Straße 12
71665 Vaihingen/Enz
GERMANY
Tel: +49 70 42 94 41 0
Fax: +49 70 42 9441 41
www.gedore-torque-solutions.com

GEDORE France SARL

Parc d'activités des Béthunes – La Mare II 10, avenue du Fief – Bâtiment 12
BP 79144 - Saint-Ouen-L'Aumône / 95074 CERGY PONTOISE CEDEX
FRANCE
Tél: +33 1 34 40 16 60
Fax: +33 1 34 40 16 61
www.gedore.fr

GEDORE Polska Sp. z o.o.

Żwirki i Wigury 56, Mikołów
POLAND
Tel: +48 32 738 40-10
Fax: +48 32 738 40-20
www.gedore.pl

GEDORE Tools South Africa (PTY) Ltd.

103 Qashana Khuzwayo Road, Durban / Kwazulu-Natal
New Germany, 3610
SOUTH AFRICA
Tel: +27 3 17 05 35 87
Fax: +27 3 17 05 47 35
www.gedore.co.za

GEDORE Tool Trading Co., Ltd. Shanghai, China

1/F., Block 2, 1358 Pingan Road
Minhang, Shanghai, China 201109
CHINA
Tel: +86 21 33 88 72-58
Fax: +86 21 33 88 72-59
www.gedore.cn

GEDORE Ibèrica S.L., Spain

c/Arangutxi 12, Poligono Industrial de Júndiz
01015 Vitoria Alava
SPAIN
Tel: +34 945 292 262
Fax: +34 945 292 199
www.gedore.es

GEDORE AUSTRIA GmbH

Gedore-Straße 1
8190 Birkfeld
AUSTRIA
Tel: +43 3174 3636 0
Fax: +43 31 74 36 38 320
www.gedore.at

GEDORE Technag BV, Netherlands

Flemingweg 7
2408 AV Alphen aan Den Rijn
NETHERLANDS
Tel: +31 1 72 42 73 50
Fax: +31 1 72 42 73 60
www.gedore.nl

GEDORE India Pvt. Ltd.

Plot No. 148, Sector-3, IMT Manesar
Gurugram, Haryana-122051
INDIA
Tel: +91 124 4087979
www.gedore.in

Ferramentas GEDORE do Brasil S.A.

Rua Vicentina Maria Fidélis, 275 Bairro Vicentina
São Leopoldo - RS - CEP: 93025-340
BRASIL
Tel: +51 35 89 92 00
Fax: +51 35 89 92 22
www.gedore.com.br

GEDORE UK Ltd.

Marton St, Skipton
North Yorkshire BD23 1TF
UNITED KINGDOM
Tel: +44 17 56 70 67 00
Fax: +44 17 56 79 80 83
www.gedoreuk.com

GEDORE Tools Inc. USA

300 Langner Rd., Suite 250
West Seneca, NY 14224
USA
Tel: +1 843 225 5015
www.gedoretools.com