

KL-4999-420

Mobile Workbench with Assortment for Commercial Vehicles



PRODUCT DESCRIPTION

KL-4999-420 - Assembly trolley "MODULO420"

Universally applicable for repairs on commercial vehicles, buses, construction machinery, agricultural machinery, trailers, and semi-trailers.

The assembly trolley "MODULO 420" with its unique composition is the ideal, mobile workstation for fast, organised, and efficient repairs.

- 1/4" assortment (AF 4-13, IN 4-8 and T8-T25)
- 1/2" assortment (AF 10-32, T20-T60 long, IN 6-19 and IN long 6-14, power screwdriver sockets AF 17-32, and telescopic ratchet)
- 3/4" assortment (AF 21-60, E24, and IN long AF 14, and power screwdriver inserts AF 24-41)
- Bit set and ratchet screwdriver sets (slot 4,5-8, PH 1-4, T10-T40 and IN 2-10)
- Spanner sets (AF 6-41 + brake line and starter block spanners)
- Impact spanner sets (E18/E20/E24, hexagon AF 24/26/27, and double hexagon AF 19/21/24)
- Assortment of pliers
- Assortment of hammer wrenches and lever tools
- Assortment of measuring, cutting, and machining tools

Assembly trolley specifications

- Dimensions H 985 x W 1200 x D 635mm
- Beech multiplex worktop, 30mm thick, oiled
- Total load carrying capacity: 1000kg / mobile operation: 750kg
- 2 fixed castors Ø 200mm and 2 swivel castors Ø 125mm with total brake
- Sheet steel, corrosion-resistant, scratch-resistant powder-coated in GEDORE blue
- Extra wide drawers W 998 x D 474mm with full extension, loadable up to 70kg
- Automatic drawer retraction with single pull-out stop and central locking system
- Side walls with Euro perforation 10 x 38mm for attaching hooks and tools


SAFETY INSTRUCTIONS AND REGULATIONS

- Read and understand this product information **before using** the special tool, as it serves to familiarise you with the special tool and thus ensures **safe use**!
- Use the special tool **as intended** and **always** carry out maintenance and repair work in compliance with the regulations on occupational safety and accident prevention as well as the vehicle manufacturer's instructions!
- **Before each use**, check the special tool **carefully** for damage, loose parts, or unauthorised modifications. **Never** use it if you notice any such deficiencies!
- **Before each use**, check the moving parts on the **special tool** for dirt, if necessary clean and lubricate it **exclusively** with molybdenum disulphide paste, for example **KL-0014-0030**!
- **Always** wear your personal protective equipment, e.g. safety goggles, protective gloves, safety shoes, if necessary!
- Interrupt your work **immediately** if you are unsure about using the special tool, and contact **GEDORE Automotive GmbH if necessary**!
- Dispose of the special tool and its packaging material in an environmentally compatible way in accordance with the legal requirements. If necessary, ask your local authorities or **GEDORE Automotive GmbH** about environmentally friendly disposal options!

Rolling workbench, 6 drawers (empty) - 1507 XL 40200




Drawer insert A




Drawer insert B



Drawer insert C




Drawer insert D



KL-4999-4202 (drawer insert A)

A Depending on the application, follow the corresponding instructions for the special tool!




Scope of delivery:

Item	Part no.	Description	Qty.
1	KL-4007-411	Articulated handle 3/4", 980mm	1
2	KL-0190-94	Mounting lever	1
3	710	Pocket calliper gauge	1
4	8000 JE 2	Circlip pliers for internal retaining rings, straight	1
5	8000 JE 21	Circlip pliers for internal retaining rings, 90° angled	1
6	8000 AE 21	Circlip pliers for external retaining rings, 90° angled	1
7	8000 AE 11	Circlip pliers for external retaining rings, 90° angled	1
8	8245-180 JC	Combination pliers	1
9	8133-200 JC	Multiple pliers	1
10	8314-180 JC	Power diagonal cutter	1
11	KL-0121-38 C	Pliers for fuel line	1
12	KL-0169-81	Track rod spanner AF34	1
13	137 P	Parallel locking pliers	1
14	142 10 TL	Universal pliers, 15-way adjustable	1
15	142 12 TL	Universal pliers, 17-way adjustable	1
16	646	Wire brush	1
17	4610	Car light test lamp	1
18	0063-08	Cable stripping knife	1
19	702 13 M	Feeler gauge set	1
20	2095	Cardan joint, 1/4"	1
21	2093 U-20	Reversible ratchet, 1/4"	1
22	620	Bit adapter, 1/4"	1
23	2090-2	Extension 1/4", 55mm	1
24	2090-4	Extension 1/4", 97mm	1
25	D 20 4	Socket UD profile, 4mm	1
	D 20 4.5	Socket UD profile, 4.5mm	1

Item	Part no.	Description	Qty.
25	D 20 5	Socket UD profile, 5mm	1
	D 20 5.5	Socket UD profile, 5.5mm	1
	D 20 6	Socket UD profile, 6mm	1
	D 20 7	Socket UD profile, 7mm	1
	D 20 8	Socket UD profile, 8mm	1
	D 20 9	Socket UD profile, 9mm	1
	D 20 10	Socket UD profile, 10mm	1
	D 20 11	Socket UD profile, 11mm	1
	D 20 12	Socket UD profile, 12mm	1
	D 20 13	Socket UD profile, 13mm	1
26	ITX 20 T8	Screwdriver bit 1/4" TX T8	1
	ITX 20 T9	Screwdriver bit 1/4" TX T9	1
	ITX 20 T10	Screwdriver bit 1/4" TX T10	1
	ITX 20 T15	Screwdriver bit 1/4" TX T15	1
	ITX 20 T20	Screwdriver bit 1/4" TX T20	1
	ITX 20 T25	Screwdriver bit 1/4" TX T25	1
27	IN 20 4	Screwdriver bit 1/4", hexagon socket, 4mm	1
	IN 20 5	Screwdriver bit 1/4", hexagon socket, 5mm	1
	IN 20 6	Screwdriver bit 1/4", hexagon socket, 6mm	1
	IN 20 8	Screwdriver bit 1/4", hexagon socket, 8mm	1
28	8722 2-8	Round workshop file 8", 200x8mm	1
29	8701 2-8	Flat-blunt workshop file 8", 200x20mm	1
30	8725 2-8	Half-rounded workshop file 8", 200x20mm	1
31	640-1800	Magnetic lifter, 520 mm, Ø 12mm	1
KL-4999-4209-2 - Foam insert for drawer			

KL-4999-4203 (drawer insert B)

4 Depending on the application, follow the corresponding instructions for the special tool!




Scope of delivery:

Item	Part no.	Description	Qty.
1	600 H-800	Metalworker's hammer ROTBAND-PLUS with hickory handle, 800 g	1
2	620 E-2000	Sledgehammer ROTBAND-PLUS with ash handle, 2000g	1
3	248 H-40	Non-rebound soft-face hammer, Ø 40mm	1
4	KL-1070-1303	Double impact wrench, E18 / E20	1
5	KL-1070-1302	Double impact spanner AF19 / E24	1
6	KL-1070-1301	Double impact spanner, AF21 / AF 24	1
7	KL-1070-1305	Double impact spanner, AF22 / AF26	1
8	KL-1070-1304	Double impact spanner, AF27 / AF30	1
9	100-10	Centre punch 120x10x4mm	1
10	99 10-4	Drift punch 120x10x4mm	1
11	99 10-5	Drift punch 120x10x5mm	1
12	119-4	Pin punch 4mm	1
13	119-5	Pin punch 5mm	1
14	119-6	Pin punch 6mm	1
15	119-8	Pin punch 8mm	1
16	95-175	Flat chisel, flat oval, 175x20x12mm	1
17	666-032-A	All-round bit box	1
18	2142 T 2	Hexagon screwdriver with 2K-T handle, 2mm	1
19	2142 T 2.5	Hexagon screwdriver with 2C T-handle 2.5mm	1
20	2142 T 4	Hexagon screwdriver with 2C T-handle, 4mm	1
21	2142 T 3	Hexagon screwdriver with 2C T-handle, 3mm	1

Item	Part no.	Description	Qty.
22	2142 T 5	Hexagon screwdriver with 2C T-handle, 5mm	1
23	2142 T 6	Hexagon screwdriver with 2C T-handle, 6mm	1
24	2142 T 10	Hexagon screwdriver with 2C T-handle, 10mm	1
25	2142 T 8	Hexagon screwdriver with 2C T-handle, 8mm	1
26	H 42 DKEL-88	Offset screwdriver set	1
27	2675	Ratchet screwdriver SilentGEAR, 1/4" bit holder	1
28	2163 TXB T10	3C screwdriver inner TX, with pin T10	1
29	2163 TXB T15	3C screwdriver inner TX, with hole T15	1
30	2163 TXB T20	3C screwdriver inner TX, with pin T20	1
31	2163 TXB T25	3C screwdriver Inner TX, with pin T25	1
32	2163 TXB T30	3C screwdriver inner TX, with pin T30	1
33	2163 TXB T40	3C screwdriver inner TX, with pin T40	1
34	2160SK PH 1	3C screwdriver with impact cap, cross slot PH1	1
35	2160SK PH 2	3C screwdriver with impact cap, cross slot PH2	1
36	2160SK PH 3	3C screwdriver with impact cap, cross slot PH3	1
37	2160SK PH 4	C screwdriver with impact cap, cross slot PH4	1
38	2154SK 4.5	3C screwdriver with impact cap, slot 4.5mm	1
39	2154SK 5.5	3C screwdriver with impact cap, slot 5.5mm	1
40	2154SK 6.5	3C screwdriver with impact cap, slot 6.5mm	1
41	2154SK 8	3C screwdriver with impact cap, slot 8mm	1
KL-4999-4209-3- Foam insert for drawer			

KL-4999-4204 (drawer insert C)

⚠ Depending on the application, follow the corresponding instructions for the special tool!



Scope of delivery:

Item	Part no.	Description	Qty.
1	7 XL 10	Combination spanner extra long, UD profile, 10mm	1
2	7 XL 11	Combination spanner extra long, UD profile, 11mm	1
3	7 XL 12	Combination spanner extra long, UD profile, 21mm	1
4	7 XL 13	Combination spanner extra long, UD profile, 13mm	1
5	7 XL 14	Combination spanner extra long, UD profile, 14mm	1
6	7 XL 15	Combination spanner extra long, UD profile, 15mm	1
7	7 XL 16	Combination spanner extra long, UD profile, 16mm	1
8	7 XL 17	Combination spanner extra long, UD profile, 17mm	1
9	7 XL 18	Combination spanner extra long, UD profile, 18mm	1
10	7 XL 19	Combination spanner extra long, UD profile, 19mm	1
11	7 XL 21	Combination spanner extra long, UD profile, 21mm	1
12	7 XL 22	Combination spanner extra long, UD profile, 22mm	1
13	7 XL 24	Combination spanner extra long, UD profile, 24mm	1
14	7 XL 27	Combination spanner extra long, UD profile, 27mm	1
15	7 XL 30	Combination spanner extra long, UD profile, 30mm	1
16	7 XL 32	Combination spanner extra long, UD profile, 32mm	1
17	7 XL 36	Combination spanner extra long, UD profile, 36mm	1
18	7 XL 41	Combination spanner extra long, UD profile, 41mm	1
19	1 B 6	Combination spanner UD profile, 6mm	1
20	1 B 7	Combination spanner UD profile, 7mm	1
21	1 B 8	Combination spanner UD profile, 8mm	1
22	1 B 9	Combination spanner UD profile, 9mm	1
23	1 B 10	Combination spanner UD profile, 10mm	1

Item	Part no.	Description	Qty.
24	1 B 11	Combination spanner UD profile, 11mm	1
25	1 B 12	Combination spanner UD profile, 12mm	1
26	1 B 13	Combination spanner UD profile, 13mm	1
27	1 B 14	Combination spanner UD profile, 14mm	1
28	1 B 15	Combination spanner UD profile, 15mm	1
29	1 B 16	Combination spanner UD profile, 16mm	1
30	1 B 17	Combination spanner UD profile, 17mm	1
31	1 B 18	Combination spanner UD profile, 18mm	1
32	1 B 19	Combination spanner UD profile, 19mm	1
33	1 B 20	Combination spanner UD profile, 20mm	1
34	1 B 21	Combination spanner UD profile, 21mm	1
35	1 B 22	Combination spanner UD profile, 22mm	1
36	1 B 24	Combination spanner UD profile, 24mm	1
37	1 B 27	Combination spanner UD profile, 27mm	1
38	1 B 30	Combination spanner UD profile, 30mm	1
39	1 B 32	Combination spanner UD profile, 32mm	1
40	400 10x12	Double ring spanner, open Hexagonal, 10x12mm	1
41	400 13x15	Double ring spanner, open Hexagonal, 13x15mm	1
42	400 14x17	Double ring spanner, open Hexagonal, 14x17mm	1
43	400 19x22	Double ring spanner, open Hexagonal, 19x22mm	1
44	304 13x15	Starter block spanner, 13x15mm	1
45	304 14x17	Starter block spanner, 14x17mm	1
KL-4999-4209-4 - Foam insert for drawer			

KL-4999-4201 (foam insert D)

⚠ Depending on the application, follow the corresponding instructions for the special tool!



Scope of delivery:

Item	Part no.	Description	Qty.
1	1993 U-20	Reversible ratchet, 1/2"	1
2	1993 TU-10	Telescopic reversible ratchet, 1/2"	1
3	1930	Reducer 1/2" to 3/8"	1
4	19 10	Socket, 1/2", hexagon, 10mm	1
5	19 11	Socket 1/2", hexagon, 11mm	1
6	19 12	Socket 1/2", hexagon, 12mm	1
7	19 13	Socket 1/2", hexagon, 13mm	1
8	19 14	Socket 1/2", hexagon, 14mm	1
9	19 15	Socket 1/2", hexagon, 15mm	1
10	19 16	Socket 1/2", hexagon, 16mm	1
11	19 17	Socket 1/2", hexagon, 17mm	1
12	19 18	Socket 1/2", hexagon, 18mm	1
13	19 19	Socket 1/2", hexagon, 19mm	1
14	19 20	Socket 1/2", hexagon, 20mm	1
15	19 21	Socket 1/2", hexagon, 21mm	1
16	19 22	Socket 1/2", hexagon, 22mm	1
17	19 23	Socket 1/2", hexagon, 23mm	1
18	19 24	Socket 1/2", hexagon, 24mm	1
19	19 25	Socket 1/2", hexagon, 25mm	1
20	19 26	Socket 1/2", hexagon, 26mm	1
21	19 27	Socket 1/2", hexagon, 27mm	1
22	19 28	Socket 1/2", hexagon, 28mm	1
23	19 29	Socket 1/2", hexagon, 29mm	1
24	19 30	Socket 1/2", hexagon, 30mm	1
25	19 32	Socket 1/2", hexagon, 32mm	1
26	IN 19 6	Screwdriver bit 1/2", hexagon socket, 6mm	1
27	IN 19 7	Screwdriver bit 1/2", hexagon socket, 7mm	1
28	IN 19 8	Screwdriver bit 1/2", hexagon socket, 8mm	1
29	IN 19 9	Screwdriver bit 1/2", hexagon socket, 9mm	1
30	IN 19 10	Screwdriver bit 1/2", hexagon socket, 10mm	1
31	IN 19 12	Screwdriver bit 1/2", hexagon socket, 12mm	1
32	IN 19 14	Screwdriver bit 1/2", hexagon socket, 14mm	1
33	IN 19 17	Screwdriver bit 1/2", hexagon socket, 17mm	1
34	IN 19 19	Screwdriver bit 1/2", hexagon socket, 19mm	1
35	1990-3	Extension 1/2", 76mm	1
36	1995	Cardan joint, 1/2"	1
37	KL-1071-1013	Socket AF13, double hexagon, 1/2"	1
38	K 19 17	Power screwdriver bit 1/2", hexagon, 17mm	1
39	K 19 18	Power screwdriver bit 1/2", hexagon, 18mm	1
40	K 19 19	Power screwdriver bit 1/2", hexagon, 19mm	1
41	K 19 21	Power screwdriver bit 1/2", hexagon, 21mm	1
42	K 19 22	Power screwdriver bit 1/2", hexagon, 22mm	1
43	K 19 23	Power screwdriver bit 1/2", hexagon, 23mm	1
44	K 19 24	Power screwdriver bit 1/2", hexagon, 24mm	1
45	K 19 27	Power screwdriver bit 1/2", hexagon, 27mm	1
46	K 19 30	Power screwdriver bit 1/2", hexagon, 30mm	1
47	K 19 32	Power screwdriver bit 1/2", hexagon, 32mm	1
48	ITX 19 L T20-100	Screwdriver bit 1/2", long, T20	1
49	ITX 19 L T25-100	Screwdriver bit 1/2", long, T25	1
50	ITX 19 L T27-100	Screwdriver bit 1/2", long, T27	1
51	ITX 19 L T30-100	Screwdriver bit 1/2", long, T30	1
52	ITX 19 L T40-100	Screwdriver bit 1/2", long, T40	1
53	ITX 19 L T45-100	Screwdriver bit 1/2", long, T45	1
54	ITX 19 L T50-100	Screwdriver bit 1/2", long, T50	1
55	ITX 19 L T55-100	Screwdriver bit 1/2", long, T55	1
56	ITX 19 L T60-100	Screwdriver bit 1/2", long, T60	1

Item	Part no.	Description	Qty.
57	IN 19 L 6-90	Screwdriver bit 1/2", 90mm, hexagon socket, 6mm	1
58	IN 19 L 7-100	Screwdriver bit 1/2", 90mm, hexagon socket, 6mm	1
59	IN 19 L 8-120	Screwdriver bit 1/2", 120mm, hexagon socket, 8mm	1
60	IN 19 L 9-140	Screwdriver bit 1/2", 140mm, hexagon socket, 9mm	1
61	IN 19 L 10-140	Screwdriver bit 1/2", 140mm, hexagon socket, 10mm	1
62	IN 19 L 12-140	Screwdriver bit 1/2", 140mm, hexagon socket, 12mm	1
63	IN 19 L 14-140	Screwdriver bit 1/2", 140mm, hexagon socket, 14mm	1
64	1987	Transverse handle 1/2"	1
65	1990-10	Extension 1/2", 250mm	1
66	1990-7	Extension 1/2", 180mm	1
67	KB 3290-12	Power screwdriver extension 3/4", 300mm	1
68	3293 U-2	Reversible ratchet, 3/4"	1
69	3287	Transverse handle 3/4"	1
70	3290-16	Extension 3/4", 400mm	1
71	3290-8	Extension 3/4", 200mm	1
72	3295	Cardan joint, 3/4"	1
73	IN 32 L 14-155	Screwdriver bit 3/4", long, hexagon socket, 14mm	1
74	KB 1970 15-27	Locking ring, Ø 24mm for 1/2" power screwdriver sockets	5
	KB 1975 15-27	Locking pin Ø 3mm for 1/2" power screwdriver sockets	5
	KB 3270	Locking ring, Ø 36mm for 3/4" power screwdriver sockets	5
	KB 3275	Locking pin Ø 4mm for 3/4" power screwdriver sockets	5
75	KL-4047-2024	Socket E24, 3/4"	1
76	K 32 22	Power screwdriver bit 3/4", hexagon, 22mm	1
77	K 32 24	Power screwdriver bit 3/4", hexagon, 24mm	1
78	K 32 27	Power screwdriver bit 3/4", hexagon, 27mm	1
79	K 32 30	Power screwdriver bit 3/4", hexagon, 30mm	1
80	K 32 32	Power screwdriver bit 3/4", hexagon, 32mm	1
81	K 32 33	Power screwdriver bit 3/4", hexagon, 33mm	1
82	K 32 34	Power screwdriver bit 3/4", hexagon, 34mm	1
83	K 32 36	Power screwdriver bit 3/4", hexagon, 36mm	1
84	K 32 38	Power screwdriver bit 3/4", hexagon, 38mm	1
85	K 32 41	Power screwdriver bit 3/4", hexagon, 41mm	1
86	32 21	Socket 3/4", hexagon, 21mm	1
87	32 22	Socket 3/4", hexagon, 22mm	1
88	32 24	Socket 3/4", hexagon, 24mm	1
89	32 27	Socket 3/4", hexagon, 27mm	1
90	32 30	Socket 3/4", hexagon, 30mm	1
91	32 32	Socket 3/4", hexagon, 32mm	1
92	32 33	Socket 3/4", hexagon, 33mm	1
93	32 34	Socket 3/4", hexagon, 34mm	1
94	32 36	Socket 3/4", hexagon, 36mm	1
95	32 38	Socket 3/4", hexagon, 38mm	1
96	32 41	Socket 3/4", hexagon, 41mm	1
97	32 46	Socket 3/4", hexagon, 46mm	1
98	32 50	Socket 3/4", hexagon, 50mm	1
99	32 55	Socket 3/4", hexagon, 55mm	1
100	32 60	Socket 3/4", hexagon, 60mm	1
KL-4999-4209-1 - Foam insert for drawer			

INSTRUCTION OVERVIEW

This overview shows all corresponding instructions for the workshop/assembly trolley. Depending on the application, the corresponding instructions **must be** consulted!

GEDORE
KLANN EXPERIENCE

KL-0121-38 C
Zange für Kraftstoffleitung
Fuel Line Pliers




Produktinformation (Original)
Vor Verwendung lesen und verstehen
Produktinformation
Lesen und verstehen, bevor verwendet

www.gedore-automotive.com

GEDORE Automotive GmbH
Rheinland-Str. 41
41539 Geseke
Tel: +49 (0) 771 8 22 23 0
Fax: +49 (0) 771 8 22 23 50
info@gedore.com
gedore@gedore.com

GEDORE TOOLS, INC.
Only for USA, Canada & Mexico
1525 Highway 101, Suite 100
North Charleston, SC 29506, USA
Tel: +1 843 225 59 10
Fax: +1 843 225 59 50
info@gedore.com
gedore@gedore.com

Version 05/2022

Universal for unlocking of quick-release couplings on fuel lines.

GEDORE
TOOLS FOR LIFE

Spurstangenschlüssel SW34
Track Rod Socket, 34mm waf



KL-0169-B1

www.gedore-automotive.com

GEDORE Automotive GmbH
Rheinland-Str. 41
41539 Geseke
Tel: +49 (0) 771 8 22 23 0
Fax: +49 (0) 771 8 22 23 50
info@gedore.com
gedore@gedore.com

GEDORE TOOLS, INC.
Only for USA, Canada & Mexico
1525 Highway 101, Suite 100
North Charleston, SC 29506, USA
Tel: +1 843 225 59 10
Fax: +1 843 225 59 50
info@gedore.com
gedore@gedore.com

Version 04/2019

For loosening and adjusting of very tight track rods and push rods.

GEDORE
KLANN EXPERIENCE

KL-0190-94
Montierhebel
Pry Bar
Levier multi-usage



Produktinformation (Original)
Vor Verwendung lesen und verstehen
Produktinformation
Lesen und verstehen, bevor verwendet
Information produit
Lire et comprendre, avant utilisation

www.gedore-automotive.com

GEDORE Automotive GmbH
Rheinland-Str. 41
41539 Geseke
Tel: +49 (0) 771 8 22 23 0
Fax: +49 (0) 771 8 22 23 50
info@gedore.com
gedore@gedore.com

GEDORE TOOLS, INC.
Only for USA, Canada & Mexico
1525 Highway 101, Suite 100
North Charleston, SC 29506, USA
Tel: +1 843 225 59 10
Fax: +1 843 225 59 50
info@gedore.com
gedore@gedore.com

Version 05/2022

For jacking apart and holding various parts and for expanding clamping bores and many other applications.

GEDORE
KLANN EXPERIENCE

KL-1070-13 .../ Serie
Doppelschlagschlüssel
Double Slogging Spanner




Produktanleitung
Product instructions

www.gedore-automotive.com

GEDORE Automotive GmbH
Rheinland-Str. 41
41539 Geseke
Tel: +49 (0) 771 8 22 23 0
Fax: +49 (0) 771 8 22 23 50
info@gedore.com
gedore@gedore.com

GEDORE TOOLS, INC.
Only for USA, Canada & Mexico
1525 Highway 101, Suite 100
North Charleston, SC 29506, USA
Tel: +1 843 225 59 10
Fax: +1 843 225 59 50
info@gedore.com
gedore@gedore.com

Version 05/2022

For loosening and tightening of cardan shaft and brake calliper screw joints.

GEDORE
TOOLS FOR LIFE

Steckschlüssel-Einsatz SW13, Doppel-Sechskant, 1/2"
Socket, Size (waf) 13mm, bi-hex, 1/2"
Douille, 13 mm surpan, bihexagonale, 1/2"




KL-1071-1013

www.gedore-automotive.com

GEDORE Automotive GmbH
Rheinland-Str. 41
41539 Geseke
Tel: +49 (0) 771 8 22 23 0
Fax: +49 (0) 771 8 22 23 50
info@gedore.com
gedore@gedore.com

GEDORE TOOLS, INC.
Only for USA, Canada & Mexico
1525 Highway 101, Suite 100
North Charleston, SC 29506, USA
Tel: +1 843 225 59 10
Fax: +1 843 225 59 50
info@gedore.com
gedore@gedore.com

Version 05/2022

For loosening and tightening of brake disc screw joints on SAF axle systems.

GEDORE
KLANN EXPERIENCE

KL-4007-411
Gelenkgriff 3/4", 980 mm
Swivel Head Breaker Bar, 3/4", 980mm




Produktinformation (Original)
Vor Verwendung lesen und verstehen
Produktinformation
Lesen und verstehen, bevor verwendet

www.gedore-automotive.com

GEDORE Automotive GmbH
Rheinland-Str. 41
41539 Geseke
Tel: +49 (0) 771 8 22 23 0
Fax: +49 (0) 771 8 22 23 50
info@gedore.com
gedore@gedore.com

GEDORE TOOLS, INC.
Only for USA, Canada & Mexico
1525 Highway 101, Suite 100
North Charleston, SC 29506, USA
Tel: +1 843 225 59 10
Fax: +1 843 225 59 50
info@gedore.com
gedore@gedore.com

Version 2 - 03/2022

For loosening stuck screw joints.



For loosening and tightening brake
disc screw joints on MAN and SAF axle
systems.

COMPONENT OVERVIEW

This overview shows the corresponding **insert** and **position** of the components in the drawers of the workshop/assembly trolley.

Part no.	Designation	Insert / osition
0063-08	Cable stripping knife	A / 18
620	Bit adapter, 1/4"	B / 22
646	Wire brush	A / 16
710	Pocket calliper gauge	A / 3
1930	Reducer 1/2" to 3/8"	D / 3
1987	Transverse handle 1/2"	D / 64
1995	Cardan joint, 1/2"	D / 36
2095	Cardan joint, 1/4"	A / 20
2675	Ratchet screwdriver SilentGEAR, 1/4" bit holder	B / 31
3287	Transverse handle 3/4"	D / 69
3295	Cardan joint, 3/4"	D / 72
4610	Car light test lamp	A / 17
1 B 6	Combination spanner, UD profile, 6mm	C / 19
1 B 7	Combination spanner, UD profile, 7mm	C / 20
1 B 8	Combination spanner, UD profile, 8mm	C / 21
1 B 9	Combination spanner, UD profile, 9mm	C / 22
1 B 10	Combination spanner, UD profile, 10mm	C / 23
1 B 11	Combination spanner, UD profile, 11mm	C / 24
1 B 12	Combination spanner, UD profile, 12mm	C / 25
1 B 13	Combination spanner, UD profile, 13mm	C / 26
1 B 14	Combination spanner, UD profile, 14mm	C / 27
1 B 15	Combination spanner, UD profile, 15mm	C / 28
1 B 16	Combination spanner, UD profile, 16mm	C / 29
1 B 17	Combination spanner, UD profile, 17mm	C / 30
1 B 18	Combination spanner, UD profile, 18mm	C / 31
1 B 19	Combination spanner, UD profile, 19mm	C / 32
1 B 20	Combination spanner, UD profile, 20mm	C / 33
1 B 21	Combination spanner, UD profile, 2 mm	C / 34
1 B 22	Combination spanner, UD profile, 22mm	C / 35
1 B 24	Combination spanner, UD profile, 24mm	C / 36
1 B 27	Combination spanner, UD profile, 27mm	C / 37
1 B 30	Combination spanner, UD profile, 30mm	C / 38
1 B 32	Combination spanner, UD profile, 32mm	C / 39
100-10	Centre punch 120x10x4mm	B / 13
119-4	Pin punch 4mm	B / 16
119-5	Pin punch 5mm	B / 17
119-6	Pin punch 6mm	B / 18
119-8	Pin punch 8mm	B / 19
137 P	Parallel locking pliers	A / 13

Part no.	Designation	Insert / position
142 10 TL	Universal pliers, 15-way adjustable	A / 14
142 12 TL	Universal pliers, 17-way adjustable	A / 15
19 10	Socket, 1/2", hexagon, 10mm	D / 4
19 11	Socket 1/2", hexagon, 11mm	D / 5
19 12	Socket 1/2", hexagon, 12mm	D / 6
19 13	Socket 1/2", hexagon, 13mm	D / 7
19 14	Socket 1/2", hexagon, 14mm	D / 8
19 15	Socket 1/2", hexagon, 15mm	D / 9
19 16	Socket 1/2", hexagon, 16mm	D / 10
19 17	Socket 1/2", hexagon, 17mm	D / 11
19 18	Socket 1/2", hexagon, 18mm	D / 12
19 19	Socket 1/2", hexagon, 19mm	D / 13
19 20	Socket 1/2", hexagon, 20mm	D / 14
19 21	Socket 1/2", hexagon, 21mm	D / 15
19 22	Socket 1/2", hexagon, 22mm	D / 16
19 23	Socket 1/2", hexagon, 23mm	D / 17
19 24	Socket 1/2", hexagon, 24mm	D / 18
19 25	Socket 1/2", hexagon, 25mm	D / 19
19 26	Socket 1/2", hexagon, 26mm	D / 20
19 27	Socket 1/2", hexagon, 27mm	D / 21
19 28	Socket 1/2", hexagon, 28mm	D / 22
19 29	Socket 1/2", hexagon, 29mm	D / 23
19 30	Socket 1/2", hexagon, 30mm	D / 24
19 32	Socket 1/2", hexagon, 32mm	D / 25
1990-3	Extension 1/2", 76mm	D / 35
1990-7	Extension 1/2", 180mm	D / 66
1990-10	Extension 1/2", 250mm	D / 65
1993 TU-10	Telescopic reversible ratchet, 1/2"	D / 2
1993 U-20	Reversible ratchet, 1/2"	D / 1
2090-2	Extension 1/4", 55mm	A / 23
2090-4	Extension 1/4", 97mm	A / 24
2093 U-20	Reversible ratchet, 1/4"	A / 21
2142 T 2	Hexagon screwdriver with 2CT- handle, 2mm	B / 22
2142 T 2.5	Hexagon screwdriver with 2CT handle, 2.5mm	B / 23
2142 T 3	Hexagon screwdriver	B / 25
2142 T 4	Hexagon screwdriver with 2CT handle, 4mm	B / 24
2142 T 5	Hexagon screwdriver with 2CT handle, 5mm	B / 26
2142 T 6	Hexagon screwdriver with 2CT handle, 6mm	B / 27
2142 T 8	Hexagon screwdriver with 2CT handle, 8mm	B / 29
2142 T 10	Hexagon screwdriver with 2C T handle, 10mm	B / 28
2154SK 4.5	3C screwdriver with impact cap, slot 4.5mm	B / 42

Part no.	Designation	Insert / position
2154SK 5.5	3C screwdriver with impact cap, slot 5.5mm	B / 43
2154SK 6.5	3C screwdriver with impact cap, slot 6.5mm	B / 44
2154SK 8	3C screwdriver with impact cap, slot 8mm	B / 45
2160SK PH 1	3C screwdriver with impact cap, cross slot PH1	B / 38
2160SK PH 2	3C screwdriver with impact cap, cross slot PH2	B / 39
2160SK PH 3	3C screwdriver with impact cap, cross slot PH3	B / 40
2160SK PH 4	3C screwdriver with impact cap, cross slot PH4	B / 41
2163 TXB T10	3C screwdriver female TX, with pin T10	B / 32
2163 TXB T15	3C screwdriver female TX, with pin T15	B / 33
2163 TXB T20	3C screwdriver female TX, with pin T20	B / 34
2163 TXB T25	3C screwdriver female TX, with pin T25	B / 35
2163 TXB T30	3C screwdriver female TX, with pin T30	B / 36
2163 TXB T40	3C screwdriver female TX, with pin T40	B / 37
248 H-40	Non-rebound soft-faced hammer, Ø 40mm	B / 3
304 13x15	Starter block spanner, 13x15mm	C / 44
304 14x17	Starter block spanner, 14x17mm	C / 45
32 21	Socket 3/4", hexagon, 21mm	D / 86
32 22	Socket 3/4", hexagon, 22mm	D / 87
32 24	Socket 3/4", hexagon, 24mm	D / 88
32 27	Socket 3/4", hexagon, 27mm	D / 89
32 30	Socket 3/4", hexagon, 30mm	D / 90
32 32	Socket 3/4", hexagon, 32mm	D / 91
32 33	Socket 3/4", hexagon, 33mm	D / 92
32 34	Socket 3/4", hexagon, 34mm	D / 93
32 36	Socket 3/4", hexagon, 36mm	D / 94
32 38	Socket 3/4", hexagon, 38mm	D / 95
32 41	Socket 3/4", hexagon, 41mm	D / 96
32 46	Socket 3/4", hexagon, 46mm	D / 97
32 50	Socket 3/4", hexagon, 50mm	D / 98
32 55	Socket 3/4", hexagon, 55mm	D / 99
32 60	Socket 3/4", hexagon, 60mm	D / 100
3290-16	Extension 3/4", 400mm	D / 70
3290-8	Extension 3/4", 200mm	D / 71
3293 U-2	Reversible ratchet, 3/4"	D / 68
400 10x12	Double ring spanner open hexagon 10x12mm	C / 40
400 13x15	Double ring spanner open hexagon 13x15mm	C / 41
400 14x17	Double ring spanner open hexagon 14x17mm	C / 42
400 19x22	Double ring spanner open hexagon 19x22mm	C / 43
600 H-800	Metalworker's hammer ROTBAND-PLUS with hickory handle, 800 g	B / 1
620 E-2000	Sledgehammer ROTBAND-PLUS with ash handle, 2000g	B / 2
640-1800	Magnetic lifter, 520mm, Ø 12mm	A / 31

Part no.	Designation	Insert / position
666-032-A	All-round bit box	B / 21
7 XL 10	Combination spanner extra long, UD profile, 10mm	C / 1
7 XL 11	Combination spanner extra long, UD profile, 11mm	C / 2
7 XL 12	Combination spanner extra long, UD profile, 21mm	C / 3
7 XL 13	Combination spanner extra long, UD profile, 13mm	C / 4
7 XL 14	Combination spanner extra long, UD profile, 14mm	C / 5
7 XL 15	Combination spanner extra long, UD profile, 15mm	C / 6
7 XL 16	Combination spanner extra long, UD profile, 16mm	C / 7
7 XL 17	Combination spanner extra long, UD profile, 17mm	C / 8
7 XL 18	Combination spanner extra long, UD profile, 18mm	C / 9
7 XL 19	Combination spanner extra long, UD profile, 19mm	C / 10
7 XL 21	Combination spanner extra long, UD profile, 21mm	C / 11
7 XL 22	Combination spanner extra long, UD profile, 22mm	C / 12
7 XL 24	Combination spanner extra long, UD profile, 24mm	C / 13
7 XL 27	Combination spanner extra long, UD profile, 27mm	C / 14
7 XL 30	Combination spanner extra long, UD profile, 30mm	C / 15
7 XL 32	Combination spanner extra long, UD profile, 32mm	C / 16
7 XL 36	Combination spanner extra long, UD profile, 36mm	C / 17
7 XL 41	Combination spanner extra long, UD profile, 41mm	C / 18
702 13 M	Feeler gauge set	A / 19
8000 AE 11	Circlip pliers for external retaining rings, 90° angled	A / 7
8000 AE 21	Circlip pliers for external retaining rings, 90° angled	A / 6
8000 JE 2	Circlip pliers for internal retaining rings, straight	A / 4
8000 JE 21	Circlip pliers for internal retaining rings, 90° angled	A / 5
8133-200 JC	Multiple pliers	A / 9
8245-180 JC	Combination pliers	A / 8
8314-180 JC	Power diagonal cutter	A / 10
8701 2-8	Flat-blunt workshop file 8", 200x20mm	A / 29
8722 2-8	Round workshop file 8", 200x8mm	A / 28
8725 2-8	Half-rounded workshop file 8", 200x20mm	A / 30
95-175	Flat chisel, flat oval, 175x20x12mm	B / 20
99 10-4	Drift punch 120x10x4mm	B / 14
99 10-5	Drift punch 120x10x5mm	B / 15
D 20 4	Socket UD profile, 4mm	A / 25
D 20 4.5	Socket UD profile, 4.5mm	A / 25
D 20 5	Socket UD profile, 5mm	A / 25
D 20 5.5	Socket UD profile, 5.5mm	A / 25
D 20 6	Socket UD profile, 6mm	A / 25
D 20 7	Socket UD profile, 7mm	A / 25
D 20 8	Socket UD profile, 8mm	A / 25
D 20 9	Socket UD profile, 9mm	A / 25

Part no.	Designation	Insert / position
D 20 10	Socket UD profile, 10mm	A / 25
D 20 11	Socket UD profile, 11mm	A / 25
D 20 12	Socket UD profile, 12mm	A / 25
D 20 13	Socket UD profile, 13mm	A / 25
H 42 DKEL-88	Offset screwdriver set	B / 30
IIN 19 L 9-140	Screwdriver bit 1/2", 140mm, hexagon socket, 9mm	D / 60
IN 19 6	Screwdriver bit 1/2", hexagon socket, 6mm	D / 26
IN 19 7	Screwdriver bit 1/2", hexagon socket, 7mm	D / 27
IN 19 8	Screwdriver bit 1/2", hexagon socket, 8mm	D / 28
IN 19 9	Screwdriver bit 1/2", hexagon socket, 9mm	D / 29
IN 19 10	Screwdriver bit 1/2", hexagon socket, 10mm	D / 30
IN 19 12	Screwdriver bit 1/2", hexagon socket, 12mm	D / 31
IN 19 14	Screwdriver bit 1/2", hexagon socket, 14mm	D / 32
IN 19 17	Screwdriver bit 1/2", hexagon socket, 17mm	D / 33
IN 19 19	Screwdriver bit 1/2", hexagon socket, 19mm	D / 34
IN 19 L 10-140	Screwdriver bit 1/2", 140mm, hexagon socket, 10mm	D / 61
IN 19 L 12-140	Screwdriver bit 1/2", 140mm, hexagon socket, 12mm	D / 62
IN 19 L 14-140	Screwdriver bit 1/2", 140mm, hexagon socket, 14mm	D / 63
IN 19 L 6-90	Screwdriver bit 1/2", 90mm, hexagon socket, 6mm	D / 57
IN 19 L 7-100	Screwdriver bit 1/2", 90mm, hexagon socket, 6mm	D / 58
IN 19 L 8-120	Screwdriver bit 1/2", 120mm, hexagon socket, 8mm	D / 59
IN 20 4	Screwdriver bit 1/4", hexagon socket, 4mm	A / 27
IN 20 5	Screwdriver bit 1/4", hexagon socket, 5mm	A / 27
IN 20 6	Screwdriver bit 1/4", hexagon socket, 6mm	A / 27
IN 20 8	Screwdriver bit 1/4", hexagon socket, 8mm	A / 27
IN 32 L 14-155	Screwdriver bit 3/4", long, hexagon socket, 14mm	D / 73
ITX 19 L T20-100	Screwdriver bit 1/2", long, T20	D / 48
ITX 19 L T25-100	Screwdriver bit 1/2", long, T25	D / 49
ITX 19 L T27-100	Screwdriver bit 1/2", long, T27	D / 50
ITX 19 L T30-100	Screwdriver bit 1/2", long, T30	D / 51
ITX 19 L T40-100	Screwdriver bit 1/2", long, T40	D / 52
ITX 19 L T45-100	Screwdriver bit 1/2", long, T45	D / 53
ITX 19 L T50-100	Screwdriver bit 1/2", long, T50	D / 54
ITX 19 L T55-100	Screwdriver bit 1/2", long, T55	D / 55
ITX 19 L T60-100	Screwdriver bit 1/2", long, T60	D / 56
ITX 20 T8	Screwdriver bit 1/4" TX T8	A / 26
ITX 20 T9	Screwdriver bit 1/4" TX T9	A / 26
ITX 20 T10	Screwdriver bit 1/4" TX T10	A / 26
ITX 20 T15	Screwdriver bit 1/4" TX T15	A / 26
ITX 20 T20	Screwdriver bit 1/4" TX T20	A / 26
ITX 20 T25	Screwdriver bit 1/4" TX T25	A / 26

Part no.	Designation	Insert / position
K 19 17	Power screwdriver bit 1/2", hexagon, 17mm	D / 38
K 19 18	Power screwdriver bit 1/2", hexagon, 18mm	D / 39
K 19 19	Power screwdriver bit 1/2", hexagon, 19mm	D / 40
K 19 21	Power screwdriver bit 1/2", hexagon, 21mm	D / 41
K 19 22	Power screwdriver bit 1/2", hexagon, 22mm	D / 42
K 19 23	Power screwdriver bit 1/2", hexagon, 23mm	D / 43
K 19 24	Power screwdriver bit 1/2", hexagon, 24mm	D / 44
K 19 27	Power screwdriver bit 1/2", hexagon, 27mm	D / 45
K 19 30	Power screwdriver bit 1/2", hexagon, 30mm	D / 46
K 19 32	Power screwdriver bit 1/2", hexagon, 32mm	D / 47
K 32 22	Power screwdriver bit 3/4", hexagon, 22mm	D / 76
K 32 24	Power screwdriver bit 3/4", hexagon, 24mm	D / 77
K 32 27	Power screwdriver bit 3/4", hexagon, 27mm	D / 78
K 32 30	Power screwdriver bit 3/4", hexagon, 30mm	D / 79
K 32 32	Power screwdriver bit 3/4", hexagon, 32mm	D / 80
K 32 33	Power screwdriver bit 3/4", hexagon, 33mm	D / 81
K 32 34	Power screwdriver bit 3/4", hexagon, 34mm	D / 82
K 32 36	Power screwdriver bit 3/4", hexagon, 36mm	D / 83
K 32 38	Power screwdriver bit 3/4", hexagon, 38mm	D / 84
K 32 41	Power screwdriver bit 3/4", hexagon, 41mm	D / 85
KB 1970 15-27	Locking ring, Ø 24 mm for 1/2" power screwdriver sockets	D / 74
KB 1975 15-27	Locking pin Ø 3mm for 1/2" power screwdriver sockets	D / 74
KB 3270	Locking ring, Ø 36mm for 3/4" power screwdriver sockets	D / 74
KB 3275	Locking pin Ø 4 mm for 3/4" power screwdriver sockets	D / 74
KB 3290-12	Power screwdriver extension 3/4", 300mm	D / 67
KL-0121-38 C	Pliers for fuel line	A / 11
KL-0169-81	Track rod spanner AF34	A / 12
KL-0190-94	Mounting lever	A / 2
KL-1070-1301	Double impact spanner AF21 / AF24	B / 6
KL-1070-1302	Double impact spanner AF19 / E24	B / 5
KL-1070-1303	Double impact spanner E18 / E20	B / 4
KL-1070-1304	Double impact spanner AF27 / AF30	B / 8
KL-1070-1305	Double impact spanner AF22 / AF26	B / 7
KL-1071-1013	Socket AF13, double hexagon, 1/2"	B / 37
KL-4007-411	Articulated handle 3/4", 980mm	A / 1
KL-4047-2024	Socket E24, 3/4"	D / 75