PAGE DE COUVERTURE DE LA FICHE DE DONNÉES DE SÉCURITÉ

révisé le: 15.12.2025

IDENTIFICATION DU PRODUIT:

Nom commercial: Autosol Gold- und Silber Politur

FOURNISSEUR QUI TRANSMET LA FICHE DE DONNÉES DE SÉCURITÉ:

SÜDO JASA AG Müslistrasse 43 8957 Spreitenbach Schweiz

Tel: +41 44 439 90 50 sds@suedojasa.ch

Numéro d'urgence national: 145 (24h accessible, Tox Info Suisse, Zurich; pour les appels depuis la Suisse, renseignements en allemand, français et italien)

INFORMATIONS CONCERNANT LES UTILISATEURS:

Section 7 - Manipulation et stockage

Exigences suisses selon les directives CFST et les aide-mémoire SUVA:

Les exigences actuelles pour la manipulation et le stockage sont à consulter dans:

- Directives CFST pertinentes (p.ex. n° 1825 pour liquides inflammables)
- Aide-mémoire SUVA 11030 (Substances dangereuses Ce qu'il faut savoir)
- Aide-mémoire SUVA 44040 (Protection explosions lors de pulvérisation)
- Aide-mémoire SUVA spécifiques selon le type de substance

Disponible sous: www.suva.ch et www.cfst.admin.ch

Mesures de base:

- Documenter les instructions du personnel selon ChemG Art. 28
- Maintenir les contenants hermétiquement fermés
- Tenir éloigné des sources d'ignition pour produits inflammables
- Utiliser des locaux de stockage bien ventilés et secs

Section 8 - Contrôles de l'exposition et protection individuelle

Valeurs limites suisses:

Les valeurs VME et VLE actuellement valables pour tous les composants sont à consulter dans l'édition la plus récente des "Valeurs limites d'exposition aux postes de travail SUVA".

Disponible sous: www.suva.ch / Publications / Valeurs limites

Équipement de protection individuelle selon les directives SUVA:

- Gants de protection: Vérifier le matériau et les temps de perçage selon les spécifications du fabricant
- Protection oculaire: Lunettes de protection avec protection latérale selon EN 166
- Protection respiratoire: En cas de ventilation insuffisante selon la composition du produit
- Protection cutanée: Vêtements de protection en cas de risque de contact cutané

Mesures de protection détaillées: Aide-mémoire SUVA pertinents sur les EPI sous www.suva.ch

Section 13 - Considérations relatives à l'élimination

Élimination selon les dispositions suisses:

L'élimination appropriée doit être effectuée conformément à:

- Ordonnance sur la limitation et l'élimination des déchets (OLED)
- Ordonnance sur les mouvements de déchets (OMoD)
- Loi sur la protection des eaux (LEaux)

Dispositions actuelles sous: www.ofev.admin.ch / Déchets

Principes de base:

- Petites quantités (<5kg): Par les centres de collecte communaux pour déchets spéciaux
- Quantités commerciales: Par des entreprises d'élimination agréées OLED
- Emballages vides: Valorisables comme déchets d'emballage si complètement vidés
- Ne pas déverser dans les égouts ou les eaux

Code de déchet: Voir le répertoire actuel des déchets (OFEV) ou consulter un éliminateur agréé OLED

Section 15 - Informations réglementaires

Dispositions suisses pertinentes:

Ce produit est soumis à diverses dispositions réglementaires suisses. Les dispositions actuellement valables sont à consulter sous:

- ORRChim (Ordonnance sur la réduction des risques liés aux produits chimiques): www.admin.ch
- OPair (Ordonnance sur la protection de l'air): www.admin.ch
- OPAM (Ordonnance sur la protection contre les accidents majeurs): www.admin.ch
- Dispositions de protection du travail: www.seco.admin.ch
- Protection de la maternité/protection des jeunes travailleurs: www.seco.admin.ch

Observer les obligations de déclaration selon ORRChim Art. 26 lors de la mise sur le marché >100 kg/an.

Des prescriptions supplémentaires spécifiques à la branche peuvent être applicables.

Page de couverture créée: 15.12.2025 - SÜDO JASA AG Müslistrasse 43 CH-8957 Spreitenbach +41 44 439 90 50 sds@suedojasa.ch

Remarque: Cette page de couverture renvoie aux dispositions suisses actuellement en vigueur. Les utilisateurs sont tenus de s'informer sur les prescriptions actuellement valables et de les respecter.

CMS International Pty Ltd





1/1 Rowe Street, Harbord NSW 2096 PO Box 39, Brookvale NSW 2100 Tel (02) 9905 8400, Fax (02) 9905 8355 www.autosol.com.au customerservice@autosol.com.au ABN 96 063 067 649

Section 1 - Identification of The Material and Supplier

Chemical nature: Water/liquid hydrocarbon emulsion of ingredients.

Trade Name: AUTOSOL® Gold & Silver Polish

Product Code/s: 1050

Product Use: Metal Polish
Creation Date: March, 2011

This version issued: July, 2025 and is valid for 5 years from this date.

Poisons Information Centre: Phone 13 1126 from anywhere in Australia

Section 2 - Hazards Identification

Statement of Hazardous Nature

This product is classified as: Not classified as hazardous according to the criteria of SWA.

Not a Dangerous Good according to Australian Dangerous Goods (ADG) Code, IATA and IMDG/IMSBC criteria.

Risk Phrases: Not Hazardous - No criteria found.

Safety Phrases: S23, S25. Do not breathe vapours. Avoid contact with eyes.

SUSMP Classification: None allocated.

ADG Classification: None allocated. Not a Dangerous Good under the ADG Code.

UN Number: None allocated

GHS Signal word: NONE. Not hazardous.

PREVENTION

P102: Keep out of reach of children.

P262: Do not get in eyes, on skin, or on clothing. P281: Use personal protective equipment as required.

RESPONSE

P337: If eye irritation persists: seek medical attention.

P352: Wash with plenty of soap and water.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P370+P378: Not combustible. Use extinguishing media suited to burning materials.

STORAGE

P402+P404: Store in a dry place. Store in a closed container.

DISPOSAL

P501: Dispose of small quantities and empty containers by wrapping with paper and putting in garbage. For larger quantities, if recycling or reclaiming is not possible, use a commercial waste disposal service.

Emergency Overview

Physical Description & Colour: White pasty emulsion.

Odour: Peach-like odour.

Major Health Hazards: no significant risk factors have been found for this product.

Potential Health Effects

Inhalation

Short Term Exposure: Available data indicates that this product is not harmful. In addition product is unlikely to cause any discomfort or irritation.

Long Term Exposure: No data for health effects associated with long term inhalation.

Skin Contact

Short Term Exposure: Available data indicates that this product is not harmful. It should present no hazards in normal use. However product may be irritating, but is unlikely to cause anything more than mild transient discomfort.

Long Term Exposure: No data for health effects associated with long term skin exposure.

SAFETY DATA SHEET

Issued by: CMS International Pty Ltd Phone: (02) 9905 8400 (business hours)

Poisons Information Centre: 13 1126 from anywhere in Australia, (0800 764 766 in New Zealand)

Product Name: Autosol® Gold & Silver Polish

Page: 2 of 4

This revision issued: July, 2025

Eye Contact

Short Term Exposure: This product may be irritating to eyes, but is unlikely to cause anything more than mild transient discomfort.

Long Term Exposure: No data for health effects associated with long term eye exposure.

Ingestion

Short Term Exposure: Significant oral exposure is considered to be unlikely. However, this product may be

irritating to mucous membranes but is unlikely to cause anything more than transient discomfort.

Long Term Exposure: No data for health effects associated with long term ingestion.

Carcinogen Status

SWA: No significant ingredient is classified as carcinogenic by SWA. **NTP:** No significant ingredient is classified as carcinogenic by NTP. **IARC:** No significant ingredient is classified as carcinogenic by IARC.

Section 3 - Composition/Information on Ingredients

Ingredients	CAS No	Conc,%	TWA (mg/m³)	STEL (mg/m ³)
Mineral spirit	64742-47-8	15-30	not set	not set
Other non hazardous ingredients	various	no data	not set	not set
Water	7732-18-5	to 100	not set	not set

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other non hazardous ingredients are also possible.

The SWA TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be equalled (but should not be exceeded) for no longer than 15 minutes and should not be repeated more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak "is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

Section 4 - First Aid Measures

General Information:

You should call The Poisons Information Centre if you feel that you may have been poisoned, burned or irritated by this product. The number is 13 1126 from anywhere in Australia (0800 764 766 in New Zealand) and is available at all times. Have this SDS with you when you call.

Inhalation: First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

Skin Contact: Wash gently and thoroughly with water (use non-abrasive soap if necessary) for 5 minutes or until chemical is removed.

Eye Contact: No effects expected. If irritation does occur, flush contaminated eye(s) with lukewarm, gently flowing water for 5 minutes or until the product is removed. Obtain medical advice if irritation becomes painful or lasts more than a few minutes. Take special care if exposed person is wearing contact lenses.

Ingestion: If product is swallowed or gets in mouth, do NOT induce vomiting; wash mouth with water and give some water to drink. If symptoms develop, or if in doubt contact a Poisons Information Centre or a doctor.

Section 5 - Fire Fighting Measures

Fire and Explosion Hazards: The major hazard in fires is usually inhalation of heated and toxic or oxygen deficient (or both), fire gases. There is no risk of an explosion from this product under normal circumstances if it is involved in a fire.

This product is likely to decompose only after heating to dryness, followed by further strong heating. Fire decomposition products from this product may be toxic if inhaled. Take appropriate protective measures.

Extinguishing Media: Suitable extinguishing media are carbon dioxide, dry chemical, foam. **Fire Fighting:** If a significant quantity of this product is involved in a fire, call the fire brigade.

Flash point: Will not burn until water component is driven off.

Upper Flammability Limit: Does not burn.
Lower Flammability Limit: Does not burn.
Autoignition temperature: Does not burn.
Flammability Class: Does not burn.

SAFETY DATA SHEET

Issued by: CMS International Pty Ltd Phone: (02) 9905 8400 (business hours)

Product Name: Autosol® Gold & Silver Polish
Page: 3 of 4

This revision issued: July, 2025

Section 6 - Accidental Release Measures

Accidental release: This product is sold in small packages, and the accidental release from one of these is not usually a cause for concern. For minor spills, clean up, rinsing to sewer and put empty container in garbage. Although no special protective clothing is normally necessary because of occasional minor contact with this product, it is good practice to wear impermeable gloves when handling chemical products. In the event of a major spill, prevent spillage from entering drains or water courses and call emergency services.

Section 7 - Handling and Storage

Handling: Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Check Section 8 of this SDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under "Storage" should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section 10.

Storage: Make sure that the product does not come into contact with substances listed under "Incompatibilities" in Section 10. Some liquid preparations settle or separate on standing and may require stirring before use. Check packaging - there may be further storage instructions on the label.

Section 8 - Exposure Controls and Personal Protection

The following Australian Standards will provide general advice regarding safety clothing and equipment:

Respiratory equipment: **AS/NZS 1715**, Protective Gloves: **AS 2161**, Occupational Protective Clothing: AS/NZS 4501 set 2008, Industrial Eye Protection: **AS1336** and **AS/NZS 1337**, Occupational Protective Footwear: **AS/NZS2210**.

SWA Exposure Limits TWA (mg/m³) STEL (mg/m³)

Exposure limits have not been established by SWA for any of the significant ingredients in this product.

No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems.

Ventilation: No special ventilation requirements are normally necessary for this product. However make sure that the work environment remains clean and that vapours and mists are minimised.

Eye Protection: Eye protection such as protective glasses or goggles is recommended when this product is being used.

Skin Protection: You should avoid contact even with mild skin irritants. Therefore you should wear suitable impervious elbow-length gloves and facial protection when handling this product. See below for suitable material types.

Protective Material Types: There is no specific recommendation for any particular protective material type. **Respirator:** Usually, no respirator is necessary when using this product. However, if you have any doubts consult the Australian Standard mentioned above.

Section 9 - Physical and Chemical Properties:

Physical Description & colour: White pasty emulsion. **Odour:** Peach-like odour.

Boiling Point: Approximately 100°C at 100kPa.

Freezing/Melting Point: Below 0°C.

Volatiles: Water component.

Vapour Pressure: 2.37 kPa at 20°C (water vapour pressure).

Vapour Density: No data.

Specific Gravity: 1.10 at 20°C

Water Solubility: Some, but not all ingredients are soluble.

pH: 7 approx - 10g/L in water

Volatility:No data.Odour Threshold:No data.Evaporation Rate:No data.Coeff Oil/water Distribution:No dataAutoignition temp:Does not burn.

Section 10 - Stability and Reactivity

Reactivity: This product is unlikely to react or decompose under normal storage conditions. However, if you have any doubts, contact the supplier for advice on shelf life properties.

Conditions to Avoid: None known.

SAFETY DATA SHEET

Issued by: CMS International Pty Ltd Phone: (02) 9905 8400 (business hours)

Product Name: Autosol® Gold & Silver Polish

Page: 4 of 4

This revision issued: July, 2025

Incompatibilities: No particular Incompatibilities.

Fire Decomposition: This product is likely to decompose only after heating to dryness, followed by further strong heating. Combustion forms carbon dioxide, and if incomplete, carbon monoxide and smoke. Water is also formed. Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgment, and unconsciousness followed by coma and death.

Polymerisation: This product will not undergo polymerisation reactions.

Section 11 - Toxicological Information

Local Effects:

Target Organs: There is no data to hand indicating any particular target organs.

Classification of Hazardous Ingredients

Ingredient Risk Phrases

No ingredient mentioned in the HSIS Database is present in this product at hazardous concentrations.

Section 12 - Ecological Information

Insufficient data to be sure of status.

Section 13 - Disposal Considerations

Disposal: Dispose of small quantities and empty containers by wrapping with paper and putting in garbage. For larger quantities, if recycling or reclaiming is not possible, use a commercial waste disposal service.

Section 14 - Transport Information

UN Number: This product is not classified as a Dangerous Good by ADG, IATA or IMDG/IMSBC criteria. No special transport conditions are necessary unless required by other regulations.

Section 15 - Regulatory Information

AICS: All of the significant ingredients in this formulation are compliant with NICNAS regulations. The following ingredient: Mineral spirit (a liquid hydrocarbon), is mentioned in the SUSMP.

Section 16 - Other Information

This SDS contains only safety-related information. For other data see product literature.

Acronyms:

ADG Code Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition)

AICS
SWA
Australian Inventory of Chemical Substances
SWA
Safe Work Australia, formerly ASCC and NOHSC
CAS number
Chemical Abstracts Service Registry Number
International Agency for Research on Cancer

NOS Not otherwise specified

NTP National Toxicology Program (USA)

R-Phrase Risk Phrase

SUSMP Standard for the Uniform Scheduling of Medicines & Poisons

UN Number United Nations Number

THIS SDS SUMMARISES OUR BEST KNOWLEDGE OF THE HEALTH AND SAFETY HAZARD INFORMATION OF THE PRODUCT AND HOW TO SAFELY HANDLE AND USE THE PRODUCT IN THE WORKPLACE. EACH USER MUST REVIEW THIS SDS IN THE CONTEXT OF HOW THE PRODUCT WILL BE HANDLED AND USED IN THE WORKPLACE.

IF CLARIFICATION OR FURTHER INFORMATION IS NEEDED TO ENSURE THAT AN APPROPRIATE RISK ASSESSMENT CAN BE MADE, THE USER SHOULD CONTACT THIS COMPANY SO WE CAN ATTEMPT TO OBTAIN ADDITIONAL INFORMATION FROM OUR SUPPLIERS OUR RESPONSIBILITY FOR PRODUCTS SOLD IS SUBJECT TO OUR STANDARD TERMS AND CONDITIONS, A COPY OF WHICH IS SENT TO OUR CUSTOMERS AND IS ALSO AVAILABLE ON REQUEST.

Please read all labels carefully before using product.

This SDS is prepared in accord with the SWA document "Preparation of Safety Data Sheets for Hazardous

Chemicals - Code of Practice" (December 2011) Copyright © Kilford & Kilford Pty Ltd, July, 2025. http://www.kilford.com.au/ Phone (02)9251 4532

SAFETY DATA SHEET

Issued by: CMS International Pty Ltd Phone: (02) 9905 8400 (business hours)