

# DECKBLATT ZUM SICHERHEITSDATENBLATT

überarbeitet am: 20.11.2025

## PRODUKTIDENTIFIKATION:

Handelsname: Autosol Baumharzentferner

## LIEFERANT, DER DAS SICHERHEITSDATENBLATT ÜBERMITTELT:

SÜDO JASA AG

Müslistrasse 87

9001 Spreitenbach

Schweiz

Tel: +41 44 439 90 50

sds@suedojasa.ch

Nationale Notfallnummer: 145 (24h erreichbar, Tox Info Suisse, Zürich; für Anrufe aus der Schweiz, Auskünfte auf Deutsch, Französisch und Italienisch)

## INFORMATIONEN FÜR DIE VERWENDER BETREFFEND:

### Abschnitt 7 - Handhabung und Lagerung

#### Schweizerische Anforderungen gemäß EKAS-Richtlinien und SUVA-Merkblättern:

Die aktuellen Anforderungen für Handhabung und Lagerung sind zu entnehmen aus:

- Relevante EKAS-Richtlinien (z.B. Nr. 1825 für brennbare Flüssigkeiten)
- SUVA-Merkblatt 11030 (Gefährliche Stoffe - Was man darüber wissen muss)
- SUVA-Merkblatt 44040 (Explosionsschutz bei Spritzarbeiten, falls zutreffend)
- Produktspezifische SUVA-Merkblätter je nach Stoffart

Verfügbar unter: [www.suva.ch](http://www.suva.ch) und [www.ekas.admin.ch](http://www.ekas.admin.ch)

Grundlegende Maßnahmen:

- Mitarbeiterunterweisungen nach ChemG Art. 28 dokumentieren
- Behälter dicht verschlossen halten
- Von Zündquellen fernhalten bei brennbaren Produkten
- Gut belüftete, trockene Lagerräume verwenden

### Abschnitt 8 - Begrenzung und Überwachung der Exposition

#### Schweizerische Grenzwerte:

Die aktuell gültigen MAK- und KZGW-Werte für alle Inhaltsstoffe sind der aktuellen Ausgabe "SUVA Grenzwerte am Arbeitsplatz" zu entnehmen.

Verfügbar unter: [www.suva.ch](http://www.suva.ch) / Publikationen / Grenzwerte

Persönliche Schutzausrüstung nach SUVA-Richtlinien:

- Schutzhandschuhe: Material und Durchbruchzeiten gemäß Herstellerangaben
- Augenschutz: Schutzbrille mit Seitenschutz gemäß EN 166
- Atemschutz: Bei unzureichender Belüftung entsprechend Produktzusammensetzung
- Hautschutz: Schutzkleidung bei Hautkontaktgefahr

## **Abschnitt 13 - Hinweise zur Entsorgung**

### **Entsorgung nach schweizerischen Bestimmungen:**

Die ordnungsgemäße Entsorgung ist durchzuführen gemäß:

- Verordnung über die Vermeidung und die Entsorgung von Abfällen (VVEA)
- Verordnung über den Verkehr mit Abfällen (VeVA)
- Gewässerschutzgesetz (GSchG)

Aktuelle Bestimmungen unter: [www.bafu.admin.ch](http://www.bafu.admin.ch) / Abfall

Grundprinzipien:

- Kleinmengen (<5kg): Über kommunale Sammelstellen für Sonderabfall
- Gewerbliche Mengen: Durch VeVA-bewilligte Entsorgungsunternehmen
- Leere Gebinde: Als Verpackungsabfall verwertbar, wenn vollständig entleert
- Nicht in Kanalisation oder Gewässer einleiten

Abfallcode: Siehe aktuelles Abfallverzeichnis (BAFU) oder VeVA-bewilligten Entsorger konsultieren

## **Abschnitt 15 - Rechtsvorschriften**

### **Relevante schweizerische Bestimmungen:**

Dieses Produkt unterliegt verschiedenen schweizerischen Rechtsvorschriften. Die aktuell gültigen Bestimmungen sind zu konsultieren unter:

- ChemRRV (Chemikalien-Risikoreduktions-Verordnung): [www.admin.ch](http://www.admin.ch)
- LRV (Luftreinhalte-Verordnung): [www.admin.ch](http://www.admin.ch)
- StFV (Störfall-Verordnung): [www.admin.ch](http://www.admin.ch)
- Arbeitsschutzbestimmungen: [www.seco.admin.ch](http://www.seco.admin.ch)
- Mutterschutz/Jugendarbeitsschutz: [www.seco.admin.ch](http://www.seco.admin.ch)

Meldepflichten nach ChemRRV Art. 26 bei Inverkehrbringen >100 kg/Jahr beachten.

Zusätzliche branchenspezifische Vorschriften können anwendbar sein.

---

**Deckblatt erstellt: 20.11.2025 - SÜDO JASA AG Müslistrasse 43 CH-8957 Spreitenbach +41 44 439 90 50 [sds@suedojasa.ch](mailto:sds@suedojasa.ch)**

Hinweis: Dieses Deckblatt verweist auf die jeweils aktuellen schweizerischen Bestimmungen. Verwender sind verpflichtet, sich über die aktuell gültigen Vorschriften zu informieren und diese einzuhalten.



# Safety data sheet

according to 1907/2006/EC, Article 31

Page 1/9

Printing date 03.04.2023

Revision: 03.04.2023

Version number 18 (replaces version 17)

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

· **Trade name:** Tree Resin Remover

· **UFI:** 3051-70YC-S00H-0FCG

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### · **Sector of Use**

SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

· **Application of the substance / the mixture** Cleaning agent/ Cleaner

### 1.3 Details of the supplier of the safety data sheet

#### · **Manufacturer/Supplier:**

Dursol-Fabrik Otto Durst GmbH & Co. KG

Martinstr. 22

42655 SOLINGEN

Germany

Tel.: +49 (0)212 - 2718-0

Fax: +49 (0)212 - 208795

www.autosol.de

#### · **Further information obtainable from:**

Department Product Safety

labor@autosol.de

### 1.4 Emergency telephone number:

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

+49 (0) 212 - 2718-0

Only available during the following office hours: Mo-Fr; 08:00 -16:00 h (MEZ/MESZ)

Languages of the phone service: German & English

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

· **Classification according to Regulation (EC) No 1272/2008**



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

### 2.2 Label elements

· **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)

— GB —



# Safety data sheet

according to 1907/2006/EC, Article 31

Page 2/9

Printing date 03.04.2023

Revision: 03.04.2023

Version number 18 (replaces version 17)

Trade name: Tree Resin Remover

(Contd. of page 1)

## Hazard pictograms



GHS07

## Signal word Warning

## Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

## Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P264 Wash contaminated body parts thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P337+P313 If eye irritation persists: Get medical advice/attention.

## Additional information: Keep out of reach of children.

## 2.3 Other hazards

## Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

## SECTION 3: Composition/information on ingredients

## 3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

## Dangerous components:

|                                                                       |                                                                                                                                                                                                                                   |         |
|-----------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| CAS: 5131-66-8<br>EINECS: 225-878-4<br>Reg.nr.: 01-2119475527-28-XXXX | 3-butoxypropan-2-ol<br>⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319<br>Specific concentration limit: Eye Irrit. 2; H319: C ≥ 20 %                                                                                                    | 10-<25% |
| CAS: 68891-38-3<br>Reg.nr.: 01-2119488639-16-xxxx                     | Alcohols, C12-14, ethoxylated, sulfates, sodium salts<br>⚠ Eye Dam. 1, H318; ⚠ Skin Irrit. 2, H315; Aquatic<br>Chronic 3, H412<br>Specific concentration limits: Eye Dam. 1; H318: C ≥ 10 %<br>Eye Irrit. 2; H319: 5 % ≤ C < 10 % | 1-<10%  |
|                                                                       | Benzenesulfonic acid, C10-16-alkyl derivs., compds. with triethanolamine<br>⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319                                                                                         | 1-<10%  |

(Contd. on page 3)

GB



# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 03.04.2023

Revision: 03.04.2023

Version number 18 (replaces version 17)

Trade name: Tree Resin Remover

(Contd. of page 2)

**· Regulation (EC) No 648/2004 on detergents / Labelling for contents**

anionic surfactants

≥5 - &lt;15%

**· Additional information:** For the wording of the listed hazard phrases refer to section 16.

## SECTION 4: First aid measures

**· 4.1 Description of first aid measures****· After inhalation:** In case of unconsciousness place patient stably in side position for transportation.**· After skin contact:** Immediately wash with water and soap and rinse thoroughly.**· After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

**· After swallowing:** If symptoms persist consult doctor.**· 4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

**· 4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

## SECTION 5: Firefighting measures

**· 5.1 Extinguishing media****· Suitable extinguishing agents:**CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.**· For safety reasons unsuitable extinguishing agents:** Water with full jet**· 5.2 Special hazards arising from the substance or mixture** No further relevant information available.**· 5.3 Advice for firefighters****· Protective equipment:** No special measures required.**· Additional information** Cool endangered receptacles with water spray.

## SECTION 6: Accidental release measures

**· 6.1 Personal precautions, protective equipment and emergency procedures** Not required.**· 6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.**· 6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

**· 6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

**· 7.1 Precautions for safe handling** No special precautions are necessary if used correctly.**· Information about fire - and explosion protection:** No special measures required.

(Contd. on page 4)

— GB —



# Safety data sheet

according to 1907/2006/EC, Article 31

Page 4/9

Printing date 03.04.2023

Revision: 03.04.2023

Version number 18 (replaces version 17)

Trade name: Tree Resin Remover

(Contd. of page 3)

- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **Storage class:** 10
- **7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
- **Appropriate engineering controls** No further data; see item 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:**  
The usual precautionary measures are to be adhered to when handling chemicals.  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.
- **Respiratory protection:** Not necessary if room is well-ventilated.
- **Hand protection**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**  
Nitrile rubber, NBR  
Recommended thickness of the material:  $\geq 0.5$  mm  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**  
For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 16523-1:2015: Level 6).  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)



# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 03.04.2023

Revision: 03.04.2023

Version number 18 (replaces version 17)

Trade name: Tree Resin Remover

(Contd. of page 4)

## · Eye/face protection



Tightly sealed goggles

## SECTION 9: Physical and chemical properties

## · 9.1 Information on basic physical and chemical properties

## · General Information

|                                                            |                     |
|------------------------------------------------------------|---------------------|
| · Colour:                                                  | Colourless          |
| · Odour:                                                   | Characteristic      |
| · Odour threshold:                                         | Not determined.     |
| · Melting point/freezing point:                            | Undetermined.       |
| · Boiling point or initial boiling point and boiling range | 100 °C              |
| · Flammability                                             | Not applicable.     |
| · Lower and upper explosion limit                          |                     |
| · Lower:                                                   | Not determined.     |
| · Upper:                                                   | Not determined.     |
| · Flash point:                                             | 68 °C               |
| · Decomposition temperature:                               | Not determined.     |
| · pH at 20 °C                                              | 8.2                 |
| · Viscosity:                                               |                     |
| · Kinematic viscosity                                      | Not determined.     |
| · Dynamic:                                                 | Not determined.     |
| · Solubility                                               |                     |
| · water:                                                   | Fully miscible.     |
| · Partition coefficient n-octanol/water (log value)        | Not determined.     |
| · Vapour pressure:                                         | Not determined.     |
| · Density and/or relative density                          |                     |
| · Density at 20 °C:                                        | 1 g/cm <sup>3</sup> |
| · Relative density                                         | Not determined.     |
| · Vapour density                                           | Not determined.     |

## · 9.2 Other information

|                                                                                 |                                               |
|---------------------------------------------------------------------------------|-----------------------------------------------|
| · Appearance:                                                                   |                                               |
| · Form:                                                                         | Fluid                                         |
| · Important information on protection of health and environment, and on safety. |                                               |
| · Auto-ignition temperature:                                                    | Product is not selfigniting.                  |
| · Explosive properties:                                                         | Product does not present an explosion hazard. |
| · Change in condition                                                           |                                               |
| · Evaporation rate                                                              | Not determined.                               |

(Contd. on page 6)

— GB —



# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 03.04.2023

Revision: 03.04.2023

Version number 18 (replaces version 17)

Trade name: Tree Resin Remover

(Contd. of page 5)

|                                                                             |      |
|-----------------------------------------------------------------------------|------|
| · Information with regard to physical hazard classes                        |      |
| · Explosives                                                                | Void |
| · Flammable gases                                                           | Void |
| · Aerosols                                                                  | Void |
| · Oxidising gases                                                           | Void |
| · Gases under pressure                                                      | Void |
| · Flammable liquids                                                         | Void |
| · Flammable solids                                                          | Void |
| · Self-reactive substances and mixtures                                     | Void |
| · Pyrophoric liquids                                                        | Void |
| · Pyrophoric solids                                                         | Void |
| · Self-heating substances and mixtures                                      | Void |
| · Substances and mixtures, which emit flammable gases in contact with water | Void |
| · Oxidising liquids                                                         | Void |
| · Oxidising solids                                                          | Void |
| · Organic peroxides                                                         | Void |
| · Corrosive to metals                                                       | Void |
| · Desensitised explosives                                                   | Void |

## SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

## SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

### · LD/LC50 values relevant for classification:

#### 5131-66-8 3-butoxypropan-2-ol

|            |            |                  |
|------------|------------|------------------|
| Oral       | LD50       | 3300 mg/kg (rat) |
| Dermal     | LD50       | 2000 mg/kg (rat) |
| Inhalative | LC50 (4 h) | 650 mg/l (rat)   |

#### 68891-38-3 Alcohols, C12-14, ethoxylated, sulfates, sodium salts

|      |      |                   |
|------|------|-------------------|
| Oral | LD50 | >2000 mg/kg (rat) |
|------|------|-------------------|

(Contd. on page 7)

— GB —



# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 03.04.2023

Revision: 03.04.2023

Version number 18 (replaces version 17)

Trade name: Tree Resin Remover

(Contd. of page 6)

**102-71-6 Triethanolamine**

|      |      |                  |
|------|------|------------------|
| Oral | LD50 | 8000 mg/kg (rat) |
|------|------|------------------|

- **Skin corrosion/irritation**  
Causes skin irritation.
- **Serious eye damage/irritation**  
Causes serious eye irritation.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**

**· Endocrine disrupting properties**

None of the ingredients is listed.

**SECTION 12: Ecological information****· 12.1 Toxicity****· Aquatic toxicity:****5131-66-8 3-butoxypropan-2-ol**

EC50 (48 h) (static) &gt; 1000 mg/l (daphnia)

LC50 (96 h) (static) 560-1000 mg/l (fish)

**68891-38-3 Alcohols, C12-14, ethoxylated, sulfates, sodium salts**

LC50 (96 h) &gt;1 mg/l (fish)

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties** For information on endocrine disrupting properties see section 11.
- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

— GB —

(Contd. on page 8)



# Safety data sheet

according to 1907/2006/EC, Article 31

Page 8/9

Printing date 03.04.2023

Revision: 03.04.2023

Version number 18 (replaces version 17)

Trade name: Tree Resin Remover

(Contd. of page 7)

## SECTION 13: Disposal considerations

### · 13.1 Waste treatment methods

#### · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

#### · Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

## SECTION 14: Transport information

### · 14.1 UN number or ID number

· ADR, ADN, IMDG, IATA Void

### · 14.2 UN proper shipping name

· ADR, ADN, IMDG, IATA Void

### · 14.3 Transport hazard class(es)

· ADR, ADN, IMDG, IATA

· Class Void

### · 14.4 Packing group

· ADR, IMDG, IATA Void

### · 14.5 Environmental hazards:

· Marine pollutant: No

· 14.6 Special precautions for user Not applicable.

· 14.7 Maritime transport in bulk according to IMO instruments Not applicable.

· UN "Model Regulation": Void

## SECTION 15: Regulatory information

### · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

No further relevant information available.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### · Relevant phrases

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

(Contd. on page 9)

— GB —



# Safety data sheet

according to 1907/2006/EC, Article 31

Page 9/9

Printing date 03.04.2023

Revision: 03.04.2023

Version number 18 (replaces version 17)

---

**Trade name: Tree Resin Remover**

---

(Contd. of page 8)

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

· **Department issuing SDS:**

Dursol-Fabrik Otto Durst GmbH & Co. KG

Martinstraße 22

42655 Solingen

Germany

Abteilung F&E / Produktsicherheit

· **Contact:** labor@autosol.de

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

· **\* Data compared to the previous version altered.**

---

— GB —