

PAGE DE COUVERTURE DE LA FICHE DE DONNÉES DE SÉCURITÉ

révisé le: 15.12.2025

IDENTIFICATION DU PRODUIT:

Nom commercial: Autosol Baumharzentferner

FOURNISSEUR QUI TRANSMET LA FICHE DE DONNÉES DE SÉCURITÉ:

SÜDO JASA AG

Müslistrasse 43

8957 Spreitenbach

Schweiz

Tel: +41 44 439 90 50

sds@suedojasa.ch

Numéro d'urgence national: 145 (24h accessible, Tox Info Suisse, Zurich; pour les appels depuis la Suisse, renseignements en allemand, français et italien)

INFORMATIONS CONCERNANT LES UTILISATEURS:

Section 7 - Manipulation et stockage

Exigences suisses selon les directives CFST et les aide-mémoire SUVA:

Les exigences actuelles pour la manipulation et le stockage sont à consulter dans:

- Directives CFST pertinentes (p.ex. n° 1825 pour liquides inflammables)
- Aide-mémoire SUVA 11030 (Substances dangereuses - Ce qu'il faut savoir)
- Aide-mémoire SUVA 44040 (Protection explosions lors de pulvérisation)
- Aide-mémoire SUVA spécifiques selon le type de substance

Disponible sous: www.suva.ch et www.cfst.admin.ch

Mesures de base:

- Documenter les instructions du personnel selon ChemG Art. 28
- Maintenir les contenants hermétiquement fermés
- Tenir éloigné des sources d'ignition pour produits inflammables
- Utiliser des locaux de stockage bien ventilés et secs

Section 8 - Contrôles de l'exposition et protection individuelle

Valeurs limites suisses:

Les valeurs VME et VLE actuellement valables pour tous les composants sont à consulter dans l'édition la plus récente des "Valeurs limites d'exposition aux postes de travail SUVA".

Disponible sous: www.suva.ch / Publications / Valeurs limites

Équipement de protection individuelle selon les directives SUVA:

- Gants de protection: Vérifier le matériau et les temps de perçage selon les spécifications du fabricant
- Protection oculaire: Lunettes de protection avec protection latérale selon EN 166
- Protection respiratoire: En cas de ventilation insuffisante selon la composition du produit
- Protection cutanée: Vêtements de protection en cas de risque de contact cutané

Mesures de protection détaillées: Aide-mémoire SUVA pertinents sur les EPI sous www.suva.ch

Section 13 - Considérations relatives à l'élimination

Élimination selon les dispositions suisses:

L'élimination appropriée doit être effectuée conformément à:

- Ordonnance sur la limitation et l'élimination des déchets (OLED)
- Ordonnance sur les mouvements de déchets (OMoD)
- Loi sur la protection des eaux (LEaux)

Dispositions actuelles sous: www.ofev.admin.ch / Déchets

Principes de base:

- Petites quantités (<5kg): Par les centres de collecte communaux pour déchets spéciaux
- Quantités commerciales: Par des entreprises d'élimination agréées OLED
- Emballages vides: Valorisables comme déchets d'emballage si complètement vidés
- Ne pas déverser dans les égouts ou les eaux

Code de déchet: Voir le répertoire actuel des déchets (OFEV) ou consulter un éliminateur agréé OLED

Section 15 - Informations réglementaires

Dispositions suisses pertinentes:

Ce produit est soumis à diverses dispositions réglementaires suisses. Les dispositions actuellement valables sont à consulter sous:

- ORRChim (Ordonnance sur la réduction des risques liés aux produits chimiques): www.admin.ch
- OPair (Ordonnance sur la protection de l'air): www.admin.ch
- OPAM (Ordonnance sur la protection contre les accidents majeurs): www.admin.ch
- Dispositions de protection du travail: www.seco.admin.ch
- Protection de la maternité/protection des jeunes travailleurs: www.seco.admin.ch

Observer les obligations de déclaration selon ORRChim Art. 26 lors de la mise sur le marché >100 kg/an.

Des prescriptions supplémentaires spécifiques à la branche peuvent être applicables.

Page de couverture créée: 15.12.2025 - SÜDO JASA AG Müslistrasse 43 CH-8957 Spreitenbach +41 44 439 90 50 sds@suedojasa.ch

Remarque: Cette page de couverture renvoie aux dispositions suisses actuellement en vigueur. Les utilisateurs sont tenus de s'informer sur les prescriptions actuellement valables et de les respecter.



Safety data sheet

according to 1907/2006/EC, Article 31

Page 1/9

Printing date 03.04.2023

Revision: 03.04.2023

Version number 18 (replaces version 17)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Tree Resin Remover

UFI: 3051-70YC-S00H-0FCG

1.2 Relevant identified uses of the substance or mixture and uses advised against

Sector of Use

SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Application of the substance / the mixture Cleaning agent/ Cleaner

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Dursol-Fabrik Otto Durst GmbH & Co. KG

Martinstr. 22

42655 SOLINGEN

Germany

Tel.: +49 (0)212 - 2718-0

Fax: +49 (0)212 - 208795

www.autosol.de

Further information obtainable from:

Department Product Safety

labor@autosol.de

1.4 Emergency telephone number:

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

+49 (0) 212 - 2718-0

Only available during the following office hours: Mo-Fr; 08:00 -16:00 h (MEZ/MESZ)

Languages of the phone service: German & English

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)

— GB —



Safety data sheet

according to 1907/2006/EC, Article 31

Page 2/9

Printing date 03.04.2023

Revision: 03.04.2023

Version number 18 (replaces version 17)

Trade name: Tree Resin Remover

(Contd. of page 1)

Hazard pictograms



GHS07

Signal word Warning

Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P264 Wash contaminated body parts thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P337+P313 If eye irritation persists: Get medical advice/attention.

Additional information: Keep out of reach of children.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 5131-66-8 EINECS: 225-878-4 Reg.nr.: 01-2119475527-28-XXXX	3-butoxypropan-2-ol ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319 Specific concentration limit: Eye Irrit. 2; H319: C ≥ 20 %	10-<25%
CAS: 68891-38-3 Reg.nr.: 01-2119488639-16-xxxx	Alcohols, C12-14, ethoxylated, sulfates, sodium salts ⚠ Eye Dam. 1, H318; ⚠ Skin Irrit. 2, H315; Aquatic Chronic 3, H412 Specific concentration limits: Eye Dam. 1; H318: C ≥ 10 % Eye Irrit. 2; H319: 5 % ≤ C < 10 %	1-<10%
	Benzenesulfonic acid, C10-16-alkyl derivs., compds. with triethanolamine ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319	1-<10%

(Contd. on page 3)

GB



Safety data sheet

according to 1907/2006/EC, Article 31

Page 3/9

Printing date 03.04.2023

Revision: 03.04.2023

Version number 18 (replaces version 17)

Trade name: Tree Resin Remover

(Contd. of page 2)

· Regulation (EC) No 648/2004 on detergents / Labelling for contents

anionic surfactants

≥5 - <15%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

· **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· **After swallowing:** If symptoms persist consult doctor.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· **Suitable extinguishing agents:**

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **For safety reasons unsuitable extinguishing agents:** Water with full jet

· **5.2 Special hazards arising from the substance or mixture** No further relevant information available.

· 5.3 Advice for firefighters

· **Protective equipment:** No special measures required.

· **Additional information** Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures** Not required.

· **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

· **6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· **6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· **7.1 Precautions for safe handling** No special precautions are necessary if used correctly.

· **Information about fire - and explosion protection:** No special measures required.

(Contd. on page 4)

— GB —



Safety data sheet

according to 1907/2006/EC, Article 31

Page 4/9

Printing date 03.04.2023

Revision: 03.04.2023

Version number 18 (replaces version 17)

Trade name: Tree Resin Remover

(Contd. of page 3)

- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **Storage class:** 10
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
- **Appropriate engineering controls** No further data; see item 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:**
The usual precautionary measures are to be adhered to when handling chemicals.
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
- **Respiratory protection:** Not necessary if room is well-ventilated.
- **Hand protection**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**
Nitrile rubber, NBR
Recommended thickness of the material: ≥ 0.5 mm
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 16523-1:2015: Level 6).
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)



Safety data sheet

according to 1907/2006/EC, Article 31

Page 5/9

Printing date 03.04.2023

Revision: 03.04.2023

Version number 18 (replaces version 17)

Trade name: Tree Resin Remover

(Contd. of page 4)

· Eye/face protection



Tightly sealed goggles

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Colour:	Colourless
· Odour:	Characteristic
· Odour threshold:	Not determined.
· Melting point/freezing point:	Undetermined.
· Boiling point or initial boiling point and boiling range	100 °C
· Flammability	Not applicable.
· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	68 °C
· Decomposition temperature:	Not determined.
· pH at 20 °C	8.2
· Viscosity:	
· Kinematic viscosity	Not determined.
· Dynamic:	Not determined.
· Solubility	
· water:	Fully miscible.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
· Density and/or relative density	
· Density at 20 °C:	1 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.

· 9.2 Other information

· Appearance:	
· Form:	Fluid
· Important information on protection of health and environment, and on safety.	
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Change in condition	
· Evaporation rate	Not determined.

(Contd. on page 6)

— GB —



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 03.04.2023

Revision: 03.04.2023

Version number 18 (replaces version 17)

Trade name: Tree Resin Remover

(Contd. of page 5)

· Information with regard to physical hazard classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

5131-66-8 3-butoxypropan-2-ol

Oral	LD50	3300 mg/kg (rat)
Dermal	LD50	2000 mg/kg (rat)
Inhalative	LC50 (4 h)	650 mg/l (rat)

68891-38-3 Alcohols, C12-14, ethoxylated, sulfates, sodium salts

Oral	LD50	>2000 mg/kg (rat)
------	------	-------------------

(Contd. on page 7)

— GB —



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 03.04.2023

Revision: 03.04.2023

Version number 18 (replaces version 17)

Trade name: Tree Resin Remover

(Contd. of page 6)

102-71-6 Triethanolamine

Oral	LD50	8000 mg/kg (rat)
------	------	------------------

- **Skin corrosion/irritation**
Causes skin irritation.
- **Serious eye damage/irritation**
Causes serious eye irritation.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information**· 12.1 Toxicity****· Aquatic toxicity:****5131-66-8 3-butoxypropan-2-ol**

EC50 (48 h) (static) > 1000 mg/l (daphnia)

LC50 (96 h) (static) 560-1000 mg/l (fish)

68891-38-3 Alcohols, C12-14, ethoxylated, sulfates, sodium salts

LC50 (96 h) >1 mg/l (fish)

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties** For information on endocrine disrupting properties see section 11.
- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

— GB —

(Contd. on page 8)



Safety data sheet

according to 1907/2006/EC, Article 31

Page 8/9

Printing date 03.04.2023

Revision: 03.04.2023

Version number 18 (replaces version 17)

Trade name: Tree Resin Remover

(Contd. of page 7)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN number or ID number

· ADR, ADN, IMDG, IATA Void

· 14.2 UN proper shipping name

· ADR, ADN, IMDG, IATA Void

· 14.3 Transport hazard class(es)

· ADR, ADN, IMDG, IATA

· Class Void

· 14.4 Packing group

· ADR, IMDG, IATA Void

· 14.5 Environmental hazards:

· Marine pollutant: No

· 14.6 Special precautions for user Not applicable.

· 14.7 Maritime transport in bulk according to IMO instruments Not applicable.

· UN "Model Regulation": Void

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

No further relevant information available.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

(Contd. on page 9)

GB



Safety data sheet

according to 1907/2006/EC, Article 31

Page 9/9

Printing date 03.04.2023

Revision: 03.04.2023

Version number 18 (replaces version 17)

Trade name: Tree Resin Remover

(Contd. of page 8)

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

· **Department issuing SDS:**

Dursol-Fabrik Otto Durst GmbH & Co. KG

Martinstraße 22

42655 Solingen

Germany

Abteilung F&E / Produktsicherheit

· **Contact:** labor@autosol.de

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

· *** Data compared to the previous version altered.**

— GB —