







Level	Zone	ECI N°.	Revision note	Date	Designed	Checked




6p. DT male	
FUNCTION	PIN
Masse GND	1
Abblendlicht low beam	2
Fernlicht high beam	3
Frontposition / SML RH front position / SML RH	4
Blinker RH Front DI / Side DI RH	5
NO FUNCTION	6

Electrical Specification				
Funktion Function	Nennspannung Nominal Voltage	Spannungsbereich Voltage Range	Nennstrom Nominal Current	Nennleistung Nominal Power
	Volt (V)	Volt (V)	Ampere (A)	Watt (W)
Low Beam	12V / 24V	10V - 33V	0.9A / 0.46A	12.1W / 12.8W
High Beam	12V / 24V	10V - 33V	0.9A / 0.46A	12.1W / 12.8W
Frontposition	12V / 24V	10V - 33V	0.14A / 0.07A	1.8W / 1.9W
Front DI	12V / 24V	10V - 33V	0.98A / 0.42A	13.2W / 11.7W
Side DI / SML	12V / 24V	10V - 33V	0.08A / 0.09A	1W / 2.5W

FUNCTION:	
Abblendlicht low beam	A
Fernlicht high beam	B
Frontblinker RH front direction indicator RH	C
Frontposition RH front position RH	D
Reflektierende Fläche reflex reflector area	E
Seitenmarkierung side marker amber	F
Seitenblinker RH side direction indicator RH	G

Homologation description					
H.1	E9 1938	149R 01	12.5	WCR-DS PL	
H.2	E9 23409	148R 01	A	1a	5 SM1
		150R 01	IA		
H.3	E24 6483	10R 06			
H.4	SAE I7 PA F5 H 25 DOT				



Schutzart in Verbindung mit passendem Gegenstecker.
 Bauelemente geeignet für Installation, mind. IP54 erforderlich!
 Protection class in conjunction with suitable mating connector.
 Suitable ADR installation on site, at least IP54 required!



CP_03-0_Bemaßungsrichtlinie () Auxiliary dimension DIN 406-10 Theoretical dimension ISO 1101
 ○ Test dimension (SPC) [] Unfinished dimension DIN 406-10 ✓ Surface quality ISO 1302

Designed by Livinschi Gabriela 2026/01/30 Checked by Strubreiter Daniel 2026/02/06 Approved by Schamberger Stefan 2026/02/09

Designation: **LuxLEDII H SML DT CISPR25/3 RH**

Drawing Nr. 25042004 Business Unit SALES - 12

Part Number: 25-0420-04

Dimensions in mm

Transmittal, reproduction, dissemination and/or editing of this document as well as utilization of its contents and communication thereof to others without express authorization are prohibited. Offenders will be held liable for payment of damages. All rights created by patent grant or registration of a utility model or design patent are reserved.

ASPOCK Design Engineering APPROVED

Project number: **1220**

Weight: - Scale: not in scale

Level: R01 Sheet: 1 / 1

AZ - AutoCAD 2023 / CP_03-0_Zeichnungsblatt Beschreibung